U.S. Army Intelligence Center and School Software Analysis and Management System

A Collection of Area of Interest (AOI) Algorithms



haly 1985

Harional Aeronautics and Space Administration

HEDM_

Jap Propolal in Laboratory Unliferate Institute of Technology Essurance: Calledian

34 11 171

REPORT DOCUMENTATION	READ INSTRUCTIONS BEFORE COMPLETING FORM							
1. REPORT NUMBER	3. RECIPIENT'S CATALOG NUMBER							
JPL D-171	ADA 166 509							
A COLLECTION OF AREA OF INTE	REST (AOI)	5. TYPE OF REPORT & PERIOD COVERED Final						
		6. PERFORMING ORG. REPORT NUMBER D-171						
7. AUTHOR(*) A. Griesel, J. Gillis, E. Dro Gardner, F. Lesh, N. Covella	•	8. CONTRACT OR GRANT NUMBER(*) NAS7-918						
9. PERFORMING ORGANIZATION NAME AND ADDRESS Jet Propulsion Laboratory 4800 Oak Grove Drive ATTN: Pasadena CA 91109		10. PROGRAM ELEMENT, PROJECT, TASK REARES WORK HULT NUMBERS 7						
11. CONTROLLING OFFICE NAME AND ADDRESS Commander, USAICS		12. REPORT DATE July, 1985						
ATTN: ATSI-CD-SF Ft. Huachuca, AZ 85613-7000		13. NUMBER OF PAGES 98						
14. MONITORING AGENCY NAME & ADDRESS(II dillorer	nt from Controlling Office)	15. SECURITY CLASS. (of this report) UNCLASSIFIED						
		15a, DECLASSIFICATION/DOWNGRADING SCHEDULE						
17. DISTRIBUTION STATEMENT (of the abetract entered	in Block 20, If different fro	m Report)						
Prepared by JPL for the U.S. School's Combat Developer's S	Support Facili	ty						
19. KEY WORDS (Continue on reverse side if necessary at AREA OF INTEREST (AOI), CONNETHEOREM, POLYGONS, CONVEX HUI	CTEDNESS, WIN	DING NUMBER, CAUCHY'S						
This is one of a series of all for the US Army Intelligence algorithms in existing or plawarfare (IEW) systems. This development and computer implesigned to determine whether ordinate system is incide.	gorithm analy Center and Sc anned Intellig report descri ementation of a given poin	sis reports performed hool covering selected ence and Electronic bes the mathematical several algorithms t in an arbitrary co-						

ordinate system is inside, on the boundary of, or outside a po-

COST BUCCULUM PROPERTY RESERVED SOCIETARIA CONTOUR SOCIETARIA DECESSOR

ygon s system.	pecif The	ied a code	s a s	series test	of resu	point lts a	s in three give	ne same en for	e coor each	dinate algorit	hm.
				~							

STANDARD ESSENSE STREET, STREE

1

1



U.S. Army Intelligence Center and School Software Analysis and Management System

A Collection of Area of Interest (AOI) Algorithms

Ann Griesel James Gillis Editors

July 1985

National Aeronautics and Space Administration



Jet Propulsion Laboratory
California Institute of Technology
Pasadena, California

JPL D-171

86 4 8 065

U.S. ARMY INTELLIGENCE CENTER AND SCHOOL Software Analysis and Management System

A Collection of Area of Interest (AOI) Algorithms

July 1985

D 4 4	tore	

rames W. Gillis, Leader Algorithm Analysis Subgroup

Martha A. Griesel, Consultant Algorithm Analysis Subgroup

Desard & Rend

E. J. Records, Manager USAMS Development Task

J. P. McClure, Manager Ground Data Systems Section

Yukio Nakamura, Manager

Defense Information Systems Program



JET PROPULSION LABORATORY
California Institute of Technology
Pasadena, California

Accesion For									
NTIS CRA&I TO DTIC TAB Unannounced Ustification									
By	By								
Availability Codes									
Dist	Avail a Spe	•							
A-1									

CONTENTS

1.	INTR	ODUCTION	1
	1.1	UNDERLYING MATHEMATICAL CONCEPTS 1-	2
	1.2	ORDER DEPENDENCE IN SPECIFYING VERTICES	5
2.	ALGO	RITHMS	1
	2.1	A CONVEXITY ALGORITHM (QUADTEST)	2
	2.2	AN ANGLE-SUMMING ALGORITHM (R_J_G)	5
	2.3	THE QUADRANGLE METHOD (TEST_IT)	8
	2.4	HANDEDNESS ALGORITHM	11
3.	TEST	AND EVALUATION	1
APPE	NDIXE:	S	
	A.	USAMS ALGORITHM ANALYSIS SERIES	1
	В.	REFERENCES	1
	c.	IMPLEMENTATION AND TESTING	1
	D.	SOME MATHEMATICAL PROOFS	1
Figu	res		
	1-1.	Specifying a Polygonal AOI 1-	7
	1-2.	Star-like Polygons	8
	1-3.	A General Non-degenerate Closed Curve	8
	1-4.	Degenerate Quadrilaterals	9
	1-5.	An n(0, P)=1 Example	9
	1-6.	Vertex Ordering Examples 1-	10
	2-1.	Triangulation of Quadrilaterals	17
	2-2.	Quadrangle Summation	1 8
	2-3.	Triangulation of a Concave Quadrilateral	10

22.23

CONTENTS (Continued)

Figu	res (conti	nued)	1																			
	2-4.	A11 1	Possi	ble Quadri	latera	ls	•	•	•		•		•	•	•	•	•		•	•		•	2-20
	D-1.	Proof	fof	Handedness	Theor	еп	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	D-4
Table	<u>es</u>																						
	3-1.	Geome	etric	Robustnes	s		•		•	•	•			•					•	•	•	•	3-2
	3-2.	Effic	cienc	y Consider	ations	•						•											3-3

ABBREVIATIONS AND ACRONYMS

AOI Area of Interest

I/EW Intelligence and Electronic Warfare

CDSF Combat Developers Support Facility

USAICS United States Army Intelligence Center and School

USAMS USAICS Software Analysis and Management Systems Task

SECTION 1

INTRODUCTION

This report presents several independently developed and tested algorithms implemented in Pascal and FORTRAN 77 for determining if a point falls within a specified quadrilateral Area of Interest (AOI). These algorithms represent several ways of mathematically solving the AOI point inclusion problem, and provide a set of unclassified benchmarks against which existing system algorithms can be evaluated. These algorithm analyses and evaluations are being conducted for the Combat Developers Support Facility (CDSF) at the United States Army Intelligence Center and School (USAICS) by the Algorithm Analysis Subgroup of the USAICS Software Analysis and Management Systems (USAMS) Development Task. It is the ninth in a series of reports examining algorithms used in Intelligence and Electronic Warfare (I/EW) systems. Each of the other reports, listed in Appendix A, analyzes algorithms from several existing T/EW systems that perform a single function and examine their underlying mathematics. The main functional areas studied have been correlation, geographic transformations, and direction finding and location (fix) estimation.

In this introductory section, the basic mathematical and geometric considerations on which the AOI algorithms presented later are based will be introduced, and the potential order dependence inherent in defining a polygon by the location of its vertices discussed. The second section presents the algorithms, and the third section, an overview of testing results and algorithm evaluations.

Detailed test procedures and results are given in Appendix C. The algorithms presented here were developed by several different individuals. The subsection describing each algorithm is authored by the principal developer of that algorithm, with acknowledgments to associates as appropriate.

1.1 UNDERLYING MATHEMATICAL CONCEPTS

There are two basic mathematical approaches to determining if a point is included within the area bounded by a closed polygon. The topological approach relies on some notions of connectedness and the Wandering Cow Theorem. The analytic approach uses the concept of winding number and is based on Cauchy's Theorem. These approaches will be discussed in this section, and algorithms presented in Section 2 based on both methods.

Consider the polygon P formed by "connecting the dots" in Figure 1-1(a) in the order specified, giving Figure 1-1(b). P is a closed curve (since the last and first points are the same) and the region R it encl. as is convex, that is, any two points (e.g. points a and b) within it can be joined by a straight line which also lies within the curve. Also, the line connecting any point inside the closed curve P with a point outside it (e.g. points a and c) must cross P exactly once. This is the basic idea behind the topological approach to determining if a point lies inside or outside the closed polygon.

There are formally two ways of viewing this intuitive result. The polygon P is the boundary of the region R, and the set P+R is closed ("+"

being used to represent the union operator). Then any connected set (i.e. any line segment is a connected set) that does not cross the boundary P of R lies either in R or outside P+R (Moore, Theorem 33). Or, viewed another way, given the point a in R and c outside P+R, then P cuts between a and c (Hocking and Young, Theorem 3-6). This means P intersects every path (actually, every closed, connected subset) containing both a and c. Thus the cow can not wander from the pasture onto the road without crossing the fence.

Neither theorem cited above requires R to be convex. These theorems do place restrictions on the topological space containing P and R, but in this case P and R are so embedded in the Euclidean plane that the restrictions are easily satisfied. Thus, at first glance, these results would seem to apply to any polygon. However, there is a vacuous case, the straight line (Figure 1-1(c)) where they do not help, because R is empty so contains no point a and certainly can not contain a connected set. But in all other cases the theorems apply, although for polygons such as that illustrated in Figure 1-1(d), implementing this approach becomes tedious and tricky.

The analytic approach is based on Cauchy's Theorem which says that the value of the integral of an analytic function f(z) (that is, a differentiable complex function) around a regular closed curve is zero. There are some restrictions on the polygon P hidden in the adjectives "analytic" and "regular." Certainly it is closed by definition, since the last point is connected back to the first point. The other conditions are

certainly satisfied by any convex polygon with three or more vertices, such as that developed in Figure 1-1(a and b). They are also satisfied if the polygon is merely star-like (Figure 1-2). In fact, any finite number of smooth curves joined at their endpoints and enclosing an open region will work (Figure 1-3). However, polygons such as those illustrated in Figure 1-4 may cause trouble due to segments which enclose no area. Carefully handled, (a) can be viewed as two disjoint closed curves, for which the theorem holds, but (b) can not.

Now using Cauchy's Theorem it can be shown that, for a point a not on the closed curve P, the value of the integral around P of dz/(z-a) is a multiple of $(360^{\circ})i$. This can be seen (but not proved) by observing that

$$dz/(z-a) = d \log(z-a)$$

=
$$d \log|z-a| + i[d \arg(z-a)];$$

the integral around a closed curve of the first term is zero and arg(z-a) increases or decreases by a multiple of 360° .

Define the winding number n(a,P) as this integral divided by $(360^{\circ})i$. Then n is positive if P is traversed counterclockwise, and

$$n(a,-P) = -n(a,P).$$

Since R+P is a bounded, connected, closed set,

$$n(a,P) = 0$$

for all a not in R+P. Furthermore,

$$n(a,P) = n(b,P)$$

for all a and b in R. The only place the winding number is not defined is on P itself. This once again excludes Figures 1-1(c) and 1-4(b) from consideration. However, it also means an algorithm based on this principle must check if the point lies on P for any polygon.

One final result is useful when designing AOI point inclusion algorithms. It pertains to cases where n=1.

Let a and b be two points on the polygon, and let P_{ab} be the arc from a to b, P_{ba} the arc from b to a (Figure 1-5). Suppose that a lies in the lower half plane and b in the upper half plane. If P_{ab} does not meet the negative real axis, and P_{ba} does not meet the positive real axis, then n(0,P)=1.

Since the winding number is translation and rotation invariant, the conditions on a and b are satisfied without loss of generality. This gives a simple criteria which covers the n equals 0 and 1 cases.

1.2 ORDER DEPENDENCE IN SPECIFYING VERTICES

1.5

Throughout the above, the vertices were assumed specified in the order in which they were to be connected. Can this restriction be relaxed? Unfortunately not.

Given four points in the plane, if one of them is in the interior of the convex hull of (that is, the smallest convex set containing the other three (Figure 1-6 (a)), the four points do not define a unique quadrilateral. In general, they will define three different ones (Figure 1-6(b), (c), and (d)) having only the line segments AD, BD, and CD common to all three. Thus any point in the convex hull that does not fall on one of these three line segments (the shaded area in 1-6(e)) is or is not in "the" quadrilateral depending on which quadrilateral is chosen.


ڪ

F

35

MATERIAL PROPERTY STATES STATES STATES

Therefore, to be able to determine if a fifth point falls within a quadrilateral defined by four given corner points, either the order (clockwise or counterclockwise) of the points must be specified, or the resulting quadrilateral must be convex and the boundary of the convex hull taken to be the quadrilateral. Any polygon with four or more vertices can be made concave by reordering the defining points (see Figure 1-6(f)); remember that these self-intersecting polygons are mathematically the hardest to deal with. To avoid constraining the problem by considering only convex quadrilaterals, and it is not always obvious that a figure is not convex, nor that easy to check for convexity, the order of the vertices must be specified.




1

CONTRACTOR OF THE PROPERTY OF

** **

Figure 1-1. Specifying a Polygonal AOI



(a) Star-Like with
Star Center C



(b) Not Star-Like

Figure 1-2. Star-like Polygons




Figure 1-3. A General Non-degenerate Closed Curve




Figure 1-4. Degenerate Quadrilaterals





Figure 1-5. An n(0,P) = 1 Example

REPORTED FORESTRAIN REPORTED BEOLEGIES (SHARKER)






Figure 1-6. Vertex Ordering Examples

SECTION 2

ALGORITHMS

Before presenting the algorithms themselves, a formal statement of the problem is needed.

Statement of Problem:

Given an ordered set of n points $P_1(x_1,y_1)$, $P_2(x_2,y_2)$,..., $P_n(x_n,y_n)$ where n may be any finite positive integer, determine if a specified point P(x,y) is enclosed by the polygon formed by connecting the points in the given order by straight line segments.

This polygon may be concave or convex and may loop in any fashion.

The point P may be multiply enclosed by the polygon, in which case some of the algorithms will determine the number of enclosures.

2.1 A CONVEXITY ALGORITHM (QUADTEST)

Author: E. Drell

Acknowledgments: R. Henderson, CSUN

E. Schmidt, JPL

Principle of the Algorithm:

This algorithm was designed specifically for quadrilaterals. It is based on three observations.

(1) Any path connecting a point inside and a point outside a closed curve intersects the curve (the Wandering Cow Theorem discussed above).

(2) Any quadrilateral has at most one point of concavity.

(3) Any quadrilateral (Figure 2-1(a)) can be divided into two triangles (Figure 2-1(b)).

The last point allows the first to be applied. Although in general it would be hard to establish that any path did or did not cross the boundary, in the case of a triangle this reduces to showing that the lines passing through AP, BP, and CP intersect BC, CA, and AB, respectively (see proof in

Note: This algorithm produces valid results for test cases C-2, C-5, and C-7, and is not applicable to the other test cases.

Appendix D). Thus the following algorithm will divide the quadrilateral into two triangles, then use this test to determine if the point lies within either triangle.

The Algorithm: (implemented in QUADTEST in Appendix C)

- 1. Test for vertices and output message and stop if point is on a vertex.
- If not, determine the concavity of the figure.

To do this determine if either the second or forth points of the figure lie within the triangle defined by the other 3 points. Recall this can only happen for one point. If this condition is true, then assign the second vertex as the point of inflection or concavity. If the condition is false then assign the first vertex as the point of inflection. The concavity only determines the way the quadrilateral is divided.

3. Break the quadrilateral into two triangles based on the inflection point (Figure 2-1 (b)).

The default is taking the first and third vertices as the center line. If so indicated by the inflection point, the second and fourth are used instead.

- 4. Test the two triangles to see if the point is interior to either.
 - A. For each side construct a line from the vertex opposite the side to the point in question.
 - If this line intersects the triangle side within the bounds of the two endpoints of the side, then the test is successful. For any point to be interior to the triangle, each vertex/point line must intersect its respective edge. If less than three intersections are determined then the point is outside the triangle. To test if a vertex/point line and triangle side intersect, subtract the equation of the line defining the triangle side from the equation of the line constructed in (A). Evaluate the resulting equation at the two endpoints of the side yielding two values. For a solution equal to zero to exist within the interval between the two points, the value on one side of the interval must be greater than zero while on the other side less than zero (by the Intermediate Value Theorem). Thus by multiplying the two values together, if a number greater than zero results, the solution does not fall within the interval forcing a failure of the triangle test.

2.2 AN ANGLE-SUMMING ALGORITHM (R_J_G)

Author: R.J. Gardner

Acknowledgment: F. Lesh

Principle of the Algorithm

Use the point in question, P(x,y), as the vertex of all angles. Calculate the angles P_1PP_2 , P_2PP_3 ,... $P_{n-1}PP_n$, and P_nPP_1 where $P_n = P_1$. Call these angles A_i where i=1,2,3...n (i.e., A_1 is P_1PP_2). The order and sign of the angles must be carefully preserved, and the value of each angle must be properly determined in the interval $-180^{\circ} \le A_i \le 180^{\circ}$. If the algebraic sum of these n angles (the winding number) is zero, the point in question is not enclosed by this polygon as defined by the ordering of the points. If the absolute value of this sum is $360^{\circ}n$, then the point has been enclosed n times by the polygon.

The Algorithm: (implemented in R_J_G in Appendix C)

Step 1. Read in the polygon points $P_1(x_1,y_1)$, $P_2(x_2,y_2)$,..., $P_n(x_n,y_n)$, n and R (the resolution to consider two points coincident).

Step 2. Read in the test point.

Step 3. Initialize sum S to zero.

S = 0

Step 4. For i equals 1 through n do the following; Translate the origin of the coordinates to the test point, P(x,y).

$$X_i = x_i - x$$
,

 $Y_i = y_i - y_i$

NOTE: P(X,Y) = (0,0).

Calculate;

 $M_{i} = \operatorname{sqrt}(X_{i}^{2} + Y_{i}^{2}).$

If $M_i \leq R$ output message "Point of interest is on the vertex." Go to Step 8. This branch is used to prevent division overflow. R was chosen as 0.0001 for the purpose of this test (1 km in 10,000 km).

Step 5. Do this step for each of the i equal to 1 through n with n + 1 = 1.

$$A_{i} = [sign(X_{i}Y_{i+1} - X_{i+1}Y_{i})]arccos[(X_{i}X_{i+1} + Y_{i}Y_{i+1})/(M_{i}M_{i+1})]$$

As A_i approaches $\pm 180^\circ$, the testpoint approaches the side. For the purpose of this test, $\pm 179.88^\circ$ was used to ensure the capture of boundary cases in spite of round off errors. (i.e. If $|A_i| > 179.88$ then output the message, "The point is ON THE LINE.")

 $S = S + A_i$

Step 6.

 $E = Round[abs(S/360^{\circ})]$ to the nearest integer.

ij

Step 7.

If E = 0, point is outside polygon.
Output message, "Point not enclosed."
Otherwise output, "Point is enclosed."

Note: The value of E yields the number of times the point is enclosed.

Step 8. More points to check? If yes go to Step 2.

Step 9. Another polygon? If yes go to Step 1.

Step 10. EXIT

economical proposes in the proposes of the pro

2.3 THE QUADRANGLE METHOD (TEST_IT)

Author: F. Lesh

Principle of the Algorithm:

Trigonometry may be thought of as the study of the mapping of spatial points in two dimensions onto a unit circle at the origin of the coordinate system. The angles are measured by their arc length on the unit circle (see Figure 2-2 (a)), and are positive in the counter-clockwise sense. This quadrilateral algorithm is similar to Section 2.2, R_J_G, which is based on the unit circle. However, rather than angles, the points are mapped onto a unit square defined by (1,1), (-1,1), (-1,-1), (1,-1) in that order. Analogous to are lengths as angles, call these displacements along the unit square "quadrangles." The measure of these "quadrangles" is the distance along the perimeter between the ordered mapped points starting at point (1,1). In Figure 2-2 (b) the values of the quadrangles at critical points are given as the eight values for S. These critical points correspond to multiples of $\pi/4$ on the unit circle. The origin of the coordinate system is translated to the point in question and the zero quadrangle is defined by the point (1,1) Figure 2-3 (b). Starting with the first point of the AOI, calculate the quadrangle between consecutive points through the last corner on to the first corner. The algebraic sum (Figure 2-2 (c)) of these quadrangles divided by 8 gives the number of times the point has been enclosed by the polygon. In an analogous manner, the sums of the angles divided by 2π gives the number of enclosures of the test

polygon. This algorithm has the advantage over angle summing with trigonometry in that it uses no transcendental functions, uses less memory to execute, and executes more rapidly.

The Algorithm: (implemented in TEST_IT in Appendix C)

Given n points on a plane, (x_0,y_0) , (x_1,y_1) ,..., (x_{n-1},y_{n-1}) , and a test point (h,k); determine if the test point lies inside, outside, or on the boundary of the area bounded by the lines connecting (x_0,y_0) to (x_1,y_1) to (x_2,y_2) ,..., (x_{n-1},y_{n-1}) to (x_0,y_0) . Note that $x_n=x_0$, and $y_n=y_0$. Two functions must be defined.

S(u,v) the distance around the unit square (Figure 2-2 (b) from (1,1) counter clockwise.

If $|v| \ge |u|$ AND v > 0, THEN S(u, v) = 1 - (u/v).

If $|u| \ge |v|$ AND u < 0, THEN S(u, v) = 3 + (v/u).

If $|v| \ge |u|$ AND v < 0, THEN S(u, v) = 5 - (u/v).

If $|u| \ge |v|$ AND u > 0, THEN S(u, v) = 7 + (v/u).

 $R(w) \equiv$ a function used to calculate the difference between two points as seen from the test point. A small variable ϵ , is introduced to ensure the boundary conditions against round off errors.*

^{*}Note: An arbitrary value for ϵ of 0.0001 was chosen for the "Test and Input" in Appendix C.

If $-4+\epsilon < w < 4-\epsilon R(w) = w$.

If $w < -4 - \epsilon$ R(w) = w + 8.

If $w>4+\epsilon$ R(w) = w-8.

Otherwise test point is on a boundary, and go to next case.

Test points on boundaries (corners and sides) are considered to be inside the polygon.

Proceed as follows: first calculate

$$u_0 = x_0 - h$$
, $v_0 = y_0 - k$.

$$S_0 = S(u_0, v_0).$$

Z = 0.

Then, for each i from 1 to n perform the following sequence of steps:

- (1) $u_i = x_i h. v_i = y_i k.$
- (2) If $((u_i = 0) \text{ AND } L(V_i = 0))$ set z = 8 and go to step six.
- (3) $S_i = S(u_i, v_i)$.
- (4) $D_{i} = R(S_{i}-S_{0}).$
- (5) $S_0 = S_i$.
- (6) $Z = Z + D_{i}$.

Finally 2/8 = the number of times the test point has been enclosed.

2.4 HANDEDNESS ALGORITHM

Author: R. Gardner

Acknowledgment: F. Lesh

Principle of Algorithm:

To determine if a point is interior to a convex polygon, progress along the sides and ask for each side (pair of points); "is the point in question on the left or right of the extended line segment of these two points?" If the point is always on the same side of each segment for a complete circuit around the convex polygon, the point is interior to the polygon.

To determine if a point P(x,y) is to the left (or right) of a directed segment $P_1(x_1,y_1)$ and $P_2(x_2,y_2)$ evaluate the determinant;

$$\begin{vmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x & y & 1 \end{vmatrix} \equiv h \text{ (handedness)}$$

If the determinant is 0 the points are colinear. If h is >0 the P is a left turn. If h <0 the turn is right. See Appendix D for proofs.

This does not work for a concave polygon. However in this case one can consider the quadrilateral as consisting of two overlapping triangles as illustrated, (Figure 2-3). The first triangle (b) is formed by excluding the concave vertex. If the h test shows the point is definitely

outside this triangle (h of different signs and none zero) then the point is outside the AOI. However, in any other case the second triangle still must be checked. The second triangle c is formed by the concave point and the two points adjacent to it in the ordered sequence. If the point is definitely inside this triangle ($h_i=0$ and of the same sign), the point is definitely outside the AOI. For the boundary cases, if both tests had one h=0, the point is outside the area of interest. If one h_i of one of the two triangles was zero, then the unknown point is on the boundary of the AOI.

It should be noted at this point that the handedness check is used to determine the nature of a quadrilateral (see Figure 2-4 for the quadrilateral case). The given h_i are $h_i((x_{i-1}, y_{i-1}), (x_i, y_i), (x_{i+1}, y_{i+1}))$. For a convex quadrilateral the h_i will all have the same sign. For a concave quadrilateral one sign will be different. For the degenerate case of a simple triangle, one h is zero and the three remaining h are of the same sign. For the triangle with a ray there is one zero h and one which differs in sign with the remaining pair. The "bow tie" has two adjacent h_i greater than zero and two less than zero.

The Algorithm:

THE PROPERTY OF THE PROPERTY AND ASSESSED TO THE PROPERTY OF T

Write a routine;

 $HAND(x_1, y_1, x_2, y_2, x_3, y_3, h),$

which determines h for the three points P₁,P₂,P₃ in that order.

Step 1. Input $P_1(x_1,y_1)$, $P_2(x_2,y_2)$, $P_3(x_3,y_3)$, and $P_4(x_4,y_4)$.

Step 2.

sometimes representation

でなべんからの 自分のないのでき 間についていていた 間の アナマタイク 間の

5

Calculate:

sign
$$h(P_4, P_1, P_2) = h_1$$

sign $h(P_1, P_2, P_3) = h_2$
sign $h(P_2, P_3, P_4) = h_3$
sign $h(P_3, P_4, P_1) = h_4$

Where;

sign
$$h = +1$$
 if $h > 0$,
sign $h = 0$ if $h = 0$,
sign $h = -1$ if $h < 0$.

This set of $\{h_i\}$ is used to determine the type of quadrilateral.

Step 3. Input point P(x,y).

Step 4. If all of the $\{h_{\underline{i}}\}$ are of the same sign and non zero, it is a convex quadrilateral.

Calculate:

If the set $\{H_i\}$ is of the same sign but non zero, output the message, "Point is in the AOI!", and go to Step 8.

If the set $\{H_i\}$ is of the same sign but with one zero, output the message, "The point is on the boundary of the AOI!", and go to Step 8. If the set $\{H_i\}$ contains two zeros and the other two H_i are of the same sign output the message "Point is on a vertex of AOI!", and go to Step 8.

Otherwise output the message "Point is outside the AOI!", and go to Step 8.

Step 5. If no h_i are zero and one of the h, say h_j , is of a different sign than the other two, it is a concave quadrilateral. From the triangle, formed by excluding this P_j , calculate the following:

sign
$$h(P_{j+1}, P_{j+2}, P) = H'_1$$

sign $h(P_{j+2}, P_{j+3}, P) = H'_2$
sign $h(P_{j+3}, P_{j+1}, P) = H'_3$

If any two of these H'_i are different in sign (excluding a zero) output the message "Point is outside AOI!", and go to Step 8.

If two of the $\mathrm{H'}_1$ are zero output the message, "Point is on a vertex of AOI!", and go to Step 8.

Paratesary interpreted from the paratesary and and and an analysis and an anal

Otherwise, for the triangle formed by the P_j (concaved point) and its adjacent points $(P_{j-1}$ and $P_{j+1})$ calculate;

sign
$$h(P_{j-1}, P_{j}, P) = H^{n_1}$$

sign $h(P_{j}, P_{j+1}, P) = H^{n_2}$
sign $h(P_{j+1}, P_{j-1}, P) = H^{n_3}$

복

If the H"_i are all of the same sign and <u>not</u> zero, or if both {H'} and {H^m} contain a zero, output the message, "Point is exterior to the AOI!", then go to Step 8.

If two H^n_1 are zero, output the message, "The point is on a vertex of the AOI!", and go to Step 8.

If either set $\{H'_i\}$ or $\{H''_i\}$ contains a zero, but a zero is not contained in both, and $\{H'''\}$ contains no change in sign, output the message, "The point is on the boundary of the AOI!", then go to Step 8.

Otherwise, output the message, "The point is inside the AOI!", and go to Step 8.

Step 6.

If only one h (h_j) is zero, (Figure 2-4(c) or (d)) form a triangle by excluding the point P_j ; i.e. $P_{j+1}, P_{j+2}, P_{j+3}$ where j+n is cyclic in the range 1,2,3,4. Read in the P(x,y). Then calculate;

sign
$$h(P_{j+1}, P_{j+2}, P) = H'_1,$$

sign $h(P_{j+2}, P_{j+3}, P) = H'_2.$
sign $h(P_{j+3}, P_{j+1}, P) = H'_3.$

Where the H^{*}_{1} are non zero and of the same sign output the message "The point is in the AOII".

Where there is one zero H'_{1} and the other two H_{1} are of the same sign output the message "Point is on the boundary of the AOI!".

Where there are two zero H'_i are non zero and of the same sign output the message "Point is on vertex!", and go to Step 8.

Where none of these conditions exist output the message, "Point is outside the AOI!".

Go to Step 8.

Step 7.

Otherwise output the message, "Illegal input!" and go to next step 9.

Step 8. Output the message "Are there more points to Input?". If answer is yes go to Step 4.

Step 9. Output the message, "Are there more areas of interest so specify?". If answer is yes go to Step 1.

Step 10. Exit.





Figure 2-1. Triangulation of Quadrilaterals








Figure 2-2. Quadrangle Summation

(a) CONCAVE QUADRILATERAL



(b) FIRST TRIANGLE



(c) SECOND TRIANGLE






Figure 2-3. Triangulation of a Concave Quadrilateral


(a) A CONVEX QUADRILATERAL




(b) A CONCAVE QUADRILATERAL



(c) A SIMPLE TRIANGLE (DEGENERATE QUADRILATERAL)



(d) A TRIANGLE WITH A RAY (DEGENERATE QUADRILATERAL)



(f) A LINE SEGMENT (DEGENERATE QUADRILATERAL)




Figure 2-4. All Possible Quadrilaterals

SECTION 3

TEST AND EVALUATION

The algorithms presented in Sections 2.1, 2.2, 2.3, and 2.4 were implemented and tested on a VAX-11/780 using Pascal and FORTRAN. The code, test quadrilaterals and points, test results, and specific comments on the performance of each algorithm are given in Appendix C. The following is a survey of those findings.

Two main categories of performance emerged in designing and conducting the tests:

(1) Geometric robustness.

(2) Timing and efficiency.

The first is a descriptive as well as evaluative category. For example, in some applications points lying on the polygon itself may be considered outside the enclosed region and for other applications inside it. Table 3-1 presents geometric robustness for the four algorithms. Note that, although in theory some of the algorithms work for any polygons with three or more sides, only quadrilaterals were used in the testing. The three classes tested were convex, concave, and degenerate. Both design and analysis of the algorithms indicate that for polygons with more sides the algorithms presented in Sections 2-2 and 2-3 should work in all but (possibly) the degenerate cases.

Questions of timing and efficiency arose primarily in five ways.

Three of these are fairly independent of the specific application:

- (1) How many special cases had to be checked.
- (2) How many subproblems were solved.
- (3) Whether trigonometric functions were used.

Table 3-2 addresses these. The other major efficiency issues are quite application dependent. The order in which the various tests are performed in an algorithm depend on the characteristics of the most likely quadrilaterals and input points. Thus the following two considerations can significantly affect efficiency:

- (4) Whether to test for wild inputs.
- (5) When to test for degenerate quadrilaterals.

Table 3-1. Geometric Robustness

Algorithm from Section:	2.1	2.2	2.3	2.4
Name	QUADTEST	R_J_G	TEST_IT	HANDEDNESS
		· · · · · · · · · · · · · · · · · · ·		
Convex Interiors	+	+	+	+
Concave Interiors	+	+	+	+
Boundaries (Non Degenerate)	+	+	+	+
Degenerate Quadrilaterals	-	+	+	-
Quadrilaterals	+	+	+	+
N-sided Polygons*	-	+	+	-
+ handles				
- does not handle				

^{*} has not been proved in this report

These questions are also covered in Table 3-2. For any applications the trade-off must be made, whether there are enough wild inputs to take time testing for them, and just how often the quadrilaterals will be degenerate. The table is meant only as a guide for applications.

Table 3-2. Efficiency Considerations

Algorithm from Section:	2.1	2.2	2.3	2.4
Name	QUADTEST	R_J_G	TEST_IT	HANDEDNESS
				
Subproblems	+	-	-	-
Trigometric Functions	-	+	-	-
Wild Inputs	~	-	-	-
Degenerate Polygons	+	-	-	+
Language	P	F	F	P

- does not have
- O comes late
- + comes early
- F FORTRAN
- P PASCAL

APPENDIX A

USAMS ALGORITHM ANALYSIS SERIES

- Gillis, J.W., Griesel, M.A., and Radbill, J.R., <u>Analysis of Geographic</u>

 <u>Transformation Algorithms.</u> JPL Report D-181, July, 1982.
- Gillis, J.W., Griesel, M.A., and Radbill, J.R., <u>Correlation Algorithm</u>

 <u>Report.</u> JPL Report D-182, September, 1982.
- Gillis, J.W., Griesel, M.A., and Radbill, J.R., and Kuo, T.J., <u>Intelligence</u>

 Algorithm Methodology I. JPL Report D-183, August, 1983.

- Gillis, J.W., Griesel, M.A., Radbill, J.R., and Sizemore, N.L., <u>Cross-Correlation</u>: <u>Statistics</u>. <u>Templating</u>, and <u>Doctrine</u>. JPL Report D-184, February, 1984.
- Gillis, J.W., and Griesel, M.A., <u>I/EW</u> <u>Direction-Finding and Fix Estimation</u>

 <u>Analysis Report.</u> JPL Report D-180, to be published.
- Mathematics Clinic, Claremont Graduate School, <u>Applications of Correlation</u>

 <u>Techniques to Battlefield Identification I.</u> JPL Report D-179, June
 1984.
- Institute of Decision Sciences, Claremont McKenna College, <u>Power of Statistical Tests Used in Correlation Techniques for Battlefield Identification II.</u> JPL Report to be published.
- Mathematics Clinic, Claremont Graduate School, <u>A Non-Standard Probabilistic</u>

 <u>Position-Fixing Model.</u> JPL Report D-186, June 1985.
- Carson, G.S., Gillis, J.W., and Griesel, M.A., <u>Intelligence Algorithm</u>

 <u>Methodology II: A Tactical Sensors Model.</u> JPL Report D-185, to

 be published.

APPENDIX B

REFERENCES

SECTION 1.1

Wandering Cow Theorem:

Hocking, J.G., and Young, G.S. <u>Topology</u>, Massachusetts: Addison-Wesley, 1961 [p.109].

Moore, R.L. <u>Foundations of Point Set Theory</u>. Rhode Island: American Mathematical Society, 1962 [p.12].

Winding Number and Cauchy's Theorem:

Ahlfors, L.V. <u>Complex Analysis</u>. New York: McGraw-Hill, 1966 [pp.109-117].

Goodstein, R.L. <u>Complex Functions</u>. New York: McGraw-Hill, 1965 [pp.91-94].

Veech, W.A. <u>A Second Course in Complex Analysis</u>. New York: W.A. Benjamin, 1967 [pp.23-27].

SECTION 2.1

Intermediate Value Theorem:

Buck, R.C. Advanced Calculus. New York: McGraw-Hill, 1965 [p.75].

APPENDIX C

IMPLEMENTATION AND TESTING

by

Nick Covella and Bruce Pardo

For each of the following programs and test results, refer to Figures C-1 through C-7. The solid lines reflect the input quadrilaterals. The X's indicate the locations of the input test points. The handling of points on boundaries (corners and sides) is described in Section 2.

There are four coded programs (2 in Pascal and 2 in FORTRAN) that have been designed and tested by the individuals who took part in the design of the respective programs. The four programs are:

- 1. QUADTEST (PASCAL) 2.1
- 2. R_J_G (FORTRAN) 2.2
- 3. TEST_IT (FORTRAN) 2.3
- 4. HANDEDNESS (PASCAL) 2.4

Each of these algorithms used different mathematical methods to determine whether a point lies inside, outside, on a corner, or on a boundary of the input figure. These methods are discussed in Section 2. The analyses of the generated results appear below.

}

PROGRAM QUAD: (SECTION 2.1)

This program used the idea of triangles. If the line connecting the test point with each vertex intersects the line of the opposite side of the triangle at a point within the confines of the triangle, and this condition holds true for all three cases, then the test point is in the interior of the triangle in question.

For non-degenerate quadrilaterals, this algorithm performed well. It does not properly handle the bow tie or degenerate cases for which three points fall on the same line.

PROGRAM RJG: (SECTION 2.2)

This program used the idea of angle summing. The point in question is used as the reference point, then the angles formed by this point and the points of the figure are summed. Direction of counter-clockwise or clockwise makes no difference so long as the points tested are in sequence. The value of the final summation is either 0 or a multiple of 360. If the value is 0, then the point in question is outside the figure, otherwise it is inside the figure.

Based on the testing here, this algorithm seems very robust.

PROGRAM TEST_IT: (SECTION 2.3)

This algorithm used the idea of a unit square. Function Scale calculates the distance around the input figure starting at (0,0) and travelling counter clockwise. Reale calculates the angular difference between two points as seen from the test point. The result gives the number of times

the test point was circled. For a closed quadrilateral that had no internal intersections, if the test point was inside the figure then the enclosed value was 1; otherwise, it is zero.

Overall, this algorithm seems very robust. It tested each input point correctly and quickly and could be used in a real-time environment.

PROGRAM HANDEDNESS: (SECTION 2.4)

This algorithm's basic principle only does not apply to "bow-tie" quadrilaterals. One should progress along the perimeter in the direction specified by the ordered points. With each pair of the perimeter points, follow along the direction specified by their ordering, connect two consecutive points, form a segment, then check to determine if the test point is on the right or left of the segment. If the answer is sometimes "left" and with other point pairs "right", the point is exterior to the convex quadrilateral. If the answer is always the same (left or right), the point

is interior to the convex polygons. In the case of the concave quadrilateral, the convexity limitation is avoided by dividing the quadrilateral into two triangles and applying this principle to each of the triangles.

Though this algorithm appears very robust, the logic is very complicated when handling the concave case. Thus it becomes impractical to implement in the field, particularly when compared to the other algorithms. The difficulty of expanding this algorithm increases geometrically with the number of sides.

In the following seven diagrams (Figures C-1 through C-7), the lines represent the outline of the input figure, the crosses (X's) represent the input test points, and the encircled crosses are special test points; the vertices of the input figure.




Figure C-1.





Figure C-2.



<u>:</u>

Figure C-3.




Figure C-4.




Figure C-5.

86 320 BB

Ô




Figure C-6.




Figure C-7.

IMPLEMENTED ALGORITHMS AND TEST RESULTS

error escenses, especies - escenses

1

PARTICIPATE PROPERTY OF THE PROPERTY OF THE PARTICIPATE PROPERTY OF THE PARTICIPATE PARTIC

```
PROGRAM QUADTEST (INPUT, OUTPUT);
(*THIS PROGRAM TESTS TO SEE IF A POINT FALLS WITHIN THE CURVE OF
  A 4 SIDED PULYGON GIVEN THE 4 POINTS IN ORDER AND THE COORDINATES
  OF THE POINT IN QUESTION. IT IS DESIGNED TO HANDLE CASES OF BOTH
  CONVEX AND CONCAVE FIGURES.
                   ELLEN DRELL
  WRITTEN BY:
  DATED:
                    12/26/84
  ACKNOWLEDGMENTS: PROF. ROBERT HENDERSON, C.S.U.N.
                   MS. ELAINE SCHMIDT, J.P.L.
TYPE
POINT = ARRAY [1..2] OF REAL;
TRIANGLE = ARRAY [1..3] OF INTEGER;
VAR
                : ARRAY [1. 4] OF POINT;
                 : POINT;
                 : TRIANGLE;
T1, T2
CENTER
                : INTEGER;
LFLAG, I, J, K
INFLECTION
                : INTEGER;
                : INTEGER;
RESPONSE, REPLY : CHAR;
FUNCTION TRIANGLETEST (V1, V2, V3 : INTEGER; P : POINT) : BOOLEAN;
(* THIS ROUTINE TESTS IF THE LINE CONNECTING THE POINT P WITH EACH
   VERTEX INTERSECTS THE LINE OF OPPOSITE SIDE OF THE TRIANGLE AT A
   POINT WITHIN THE CONFINES OF THE TRIANGLE. IF THIS CONDITION
   HOLDS TRUE FOR ALL 3 CASES THEN THE POINT IS IN THE INTERIOR OF
   THE TRIANGLE DEFINED.
₩)
VALI, VALE, LX, RX, M : REAL;
I, COUNT : INTEGER; V, S1, S2, TEMP : POINT;
BEGIN
COUNT - = O;
V := A[V1];
S1 := A[V2];
S2 := A[V3];
FOR I =1 TO 3 DO BEGIN
 (*FOR THE THREE SIDES TEST IF THE INTERSECTION OF THE 2 LINES
  OCCURS AT A POINT BETWEEN THE LEFT AND RIGHT ENDPOINTS OF THE
  SIDE. USE THE INTERMEDIATE VALUE THEORM TO DETERMINE IF THE
   SOLUTION EXISTS IN THE INTERVAL C-10
```

```
*)
 IF ( S1011 ( S2011 )
   THEN M := ((S1021-S2021)/(S1011-S2011)) (*SLOPE*)
   ELSE M := 79999; (*SLOPS IS INFINITY SINCE VERTICAL*)
(*THE CASE WHERE THE VERTEX POINT AND THE POINT IN QUESTION
  HAVE THE SAME X VALUE ONLY THE Y COORDINATE NEEDS TO BE
  TESTED. A LINEAR FORMULA SIMILIAR TO THAT IN THE LINEARITY
  PROCEDURE IS USED AND A COMPARISON IS DONE USING THE TWO
  DIFFERENT Y VALUES WHILE HOLDING THE X CONSTANT.
45
 IF V(1]=P(1) (*TEST FOR SLOPE OF INFINITY*)
   THEN BEGIN
      VAL1: =(V[2]-S1[2]) - (M*(V[1]-S1[1]));
      VAL2: =(PE21-S1E21) - (M*(VEI1-S1E11));
      IF (ABS(VAL1) > ABS(VAL2)) THEN COUNT :=COUNT +1;
      END (*THEN*)
   ELSE BEGIN
      LX: =S1[1]; RX: =S2[1];
      VAL1:=(VE2]-S2E2])-(M*(LX-S2E1]))+ (((VE2]-PE2])/(VE1]-PE1]))*(LX-VE1])):
      VAL2: =(VC21-S1C21) -(M*(RX-S1C11))+ (((VC21-PC21)/(VC11-PC11))+(RX-VC11));
      IF (VAL1 * VAL2) <= 0 THEN COUNT :=COUNT + 1;
   END (*ELSE*):
         TEMP := V;
         V := S1; (*SWITCH TO THE NEXT EDGE OF TRIANGLE*)
         S1:=S2;
         S2: =TEMP;
 END (*FOR*);
 IF COUNT = 3 THEN TRIANGLETEST := TRUE (*POINT WITHIN*)
              ELSE TRIANGLETEST : = FALSE;
END,
FUNCTION CONCAVITY : INTEGER;
(*THIS ROUTINE TEST TO SEE IF THE FIGURE IS CONCAVE OR CONVEX - IT
  TESTS BY USE OF PERMUTATIONS, IF ANY OF THE VERTEX POINTS LIES
  WITHIN THE TRIANGLE DEFINED BY THE OTHER 3 POINTS. IF CONCAVITY
  IS DETERMINED THEN THE FUNCTION RETURNS THE INTERNAL POINT AS THE
  POINT OF INFLECTION. IF THE FIGURE IS DETERMINED TO BE CONVEX
  VERTEX 1 18 POTURNED BY DEFAULT.
REGIN
  IF :(TRIANGLETEST:1,2,3,AF4I)=TRUE) OR (TRIANGLETEST(3,4,1,A[2])=TRUE))
     THEN CONCAVITY -= 2
     TILSE CONCAVITY . =1.
END,
PROCEDURE ENTERVALS.
(*THIS PROCEDURE IS THE PROMPT ROUTINE TO ENTER THE VALUES INTO THE ARRAY*)
(+OF FOINTS+)
                                    C-11
```

```
VAR
  I, FLAG : INTEGER;
BEGIN
WRITEIN:
WRITELN ('ENTER EACH OF THE 4 POINTS IN ORDER ');
WRITELN ('ORDER IS DETERMINED BY THE CONSECUTIVE POINTS BEING JOINED BY A SIDE!
WRITELM ('ENTER EACH OF THE 4 POINTS AS AN ORDERED PAIR');
WRITE N:
FOR I: = I TO 4 DO BEGIN
   WRITE ('ENTER THE X COORDINATE OF VERTEX ', I:2, ' ');
   READLN (ACI:10)
   WRITE ('ENTER THE Y COORDINATE OF VERTEX ', I:2, ' ');
   READLN(ACI, 23);
   WILL THEN!
   HNO;
WRITELN:
END;
( *-----
FUNCTION NEWPTH INTEGER:
(*FHIH ROUTINE ENTERS THE POINT TO BE CONSIDERED AND DOES *)
(*VER:FICATION CHECKING ON FIXISTING COORDINATES*)
BEGIN
   NEWP I: -O:
   WRITE ('ENTER THE X COGRDINATE OF THE POINT P '),
   READEN (PELD):
   WRITE ('ENTER THE Y COORDINATE OF THE POINT P ');
   READLN (PERI);
   WR ( FELN:
   WR (TELN;
   FOR I: = 1 (0 4 DO
     [F ((ACI,13=FC13) AND (ACI,23=PC23)) (*CHECK FOR A VERTEX POINT*)
        THEN NEWP: =1,
 HND;
                          BEGIN MAIN ROUTINE
BEGIN
REPEAT BECIN
   HIN FERVALS:
   WESTELM ('ENTER THE POINT UNDER CONSIDERATION AS AN ORDERED PAIR '),
   WILL TELN.
   REPEAT BEGIN
      LFLAG -NEWP (
      IF LFLAG CD 1 THEN BEGIN
      END ( FEND I + +);
      CASE LELAG OF
          O: BEGIN
                    (*NON VERTEX CASE*)
                INFLECTION : CONCAVITY;
               T1[1]: :INFLECTION: (*OEFINE TRIANGLES BASED ON INFLECTION T1[2]: :INFLECTION+1) (*POINTS
                T1[1]: :INFLECTION:
                (103) = INFLECTION+2; C-12
```

```
T2011: = INFLECTION;
               T2021: = INFLECTION+2;
                IF INFLECTION = 2
                   THEN TREBI: = INFLECTION-1
                   ELSE T2[3]: = INFLECTION + 3;
            IF (TRIANGLETEST(T1011, T1021, T1031, P) = TRIANGLETEST(T2011, T2021, T20
              THEN
                  IF TRIANGLETEST(T1011, T1021, T1031, P) THEN
                     WRITELN('THE POINT IS AN INTERIOR POINT OF THE QUADRALATERAL
                 ELSE
                     WRITELN('THE POINT IS AN EXTERIOR POINT OF THE GUADEALATERAL
              ELSE
                 WRITELN('THE POINT IS AN INTERIOR POINT OF THE GUADRALATERAL >
          END (*0 CONDITION OF CASE*);
          1 . WRITELN ('THE POINT WAS A VERTEX OF THE GUADRALATERAL');
        END (*CASE*);
        WR ITEL NI
        WRITE ('ANOTHER POINT TO TEST WITHIN THIS GUADRALATERAL? Y/N '):
        READLN (REPLY);
        WRITELN:
      END (*REPLY REPEAT*);
   UNTIL REPLY CD (Y)
     WRITELN
     WRITE ( 'ANOTHER GUADRALATERAL TO TEST? Y/N ');
     READLN (RESPONSE);
     WRITELN:
   END (*RESPONSE REPEAT*);
UNTIL RESPONSE OF 1Y17
END.
```

SALANDE DE SERVICE

THE PARTY OF THE PROPERTY OF T

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-1	0.0000	0.0000
	2.0000	0.000
	4.0000	0.0000
	6.0000	0.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000		OUT
4.0000	1.0000		OUT
2.0000	3.0000		OUT
6.0000	3.0000		OUT
8.0000	3.0000		OUT
5.0000	0.0000		ON THE LINE
2.0000	7.0000		OUT
8.0000	7.0000		OUT
6.0000	2.0000		OUT
-3.0000	4.0000		OUT
-2.0000	7.0000		OUT
0.0000	0.0000		CORNER
2.0000	0.0000		CORNER
4.0000	0.0000		CORNER
6.0000	0.0000		CORNER
10.0000	0.0000		OUT
6.0000	8.0000		OUT
3.0000	3.0000		OUT
4.0000	6.0000		OUT
7.0000	0.0000		OUT
6.0000	4.0000		OUT
13.0000	0.0000		OUT
6.0000	7.0000		OUT
12.0000	0.0000		OUT
0.0000	5.0000		OUT
7.0000	5.0000		OUT

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
4-7-0-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-		
C-2	0.0000	0.0000
	10.0000	0.000
	6.0000	8.0000
	3.0000	3.0000

	QUADRILAT	ERAL	X-COORDINATE	Y-COORDINATE
9	C-2		0.0000 10.0000 6.0000 3.0000	0.0000 0.0000 8.0000 3.0000
8	CHECKING THE INP	UT (X, Y) POINT	s	
Ç. Ö	INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
	4.0000	/ 0000		
•	4.0000	4.0000 1.0000	IN IN	IN IN
	2.0000	3.0000	our	OUT
•	6.0000	3.0000	IN	IN
	8.0000	3.0000	IN	IN
	5.0000	0.0000	IN	ON THE LINE
	2.0000 8.000	7.0000 7.0000	OUT	OUT
	6.0000	2.0000	OUT IN	OUT IN
	-3.0000	4.0000	OUT	OUT
	-2.0000	7.0000	OUT	OUT
	0.0000	0.0000	CORNER	CORNER
	2.0000	0.0000	IN	ON THE LINE
	4.0000	0.0000	IN	ON THE LINE
	6.0000	0.0000	IN	ON THE LINE
	10.0000	0.0000	CORNER	CORNER
	6.0000 3.0000	8.0000 3.0000	CORNER	CORNER
	4.0000	6.0000	CORNER OUT	CORNER OUT
	7.0000	0.0000	IN	ON THE LINE
	6.0000	4.0000	IN	IN
	13.0000	0.0000	OUT	OUT
	6.0000	7.0000	IN	IN
	12.0000	0.0000	OUT	OUT
	0.0000	5.0000	OUT	OUT
	7.0000	5.0000	IN	IN
			•	
			C-15	

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
-		***************************************
C-3	0.0000	0.0000
	4.0000	6.0000
	7.0000	0.0000
	10.0000	0.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000		IN
4.0000	1.0000		IN
2.0000	3.0000		ON THE LINE
6.0000	3.0000		OUT
8.0000	3.0000		OUT
5.0000	0.0000		ON THE LINE
2.0000	7.0000		OUT
8.0000	7.0000		OUT
6.0000	2.0000		ON THE LINE
-3.0000	4.0000		OUT
-2.0000	7.0000		OUT
0.0000	0.0000		CORNER
2.0000	0.0000		ON THE LINE
4.0000	0.0000		ON THE LINE
6.0000	0.0000		ON THE LINE
10.0000	0.0000		CORNER
6.0000	8.0000	•	OUT
3.0000	3.0000		IN
4.0000	6.0000		CORNER
7.0000	0.0000		CORNER .
6.0000	4.0000		OUT
13.0000	0.0000		OUT
6.0000	7.0000		OUT
12.0000	0.0000		OUT
0.0000	5.0000		OUT
7.0000	5.0000		OUT

25.

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-4	0.0000	0.0000
	6.0000	4.0000
	13.0000	0.0000
	6.0000	0.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
			# * * * * * * * * * * * * * * * * * * *
4.0000	4.0000		OUT
4.0000	1.0000		IN
2.0000	3.0000		TUO
6.0000	3.0000		IN
8.0000	3.0000		OUT
5.0000	0.0000		ON THE LINE
2.0000	7.0000		OUT
8.0000	7.0000		OUT
6.0000	2.0000		IN
-3.0000	4.0000		OUT
-2.0000	7.0000		OUT
0.0000	0.0000		CORNER
2.0000	0.0000		ON THE LINE
4.0000	0.0000		ON THE LINE
6.0000	0.0000		CORNER
10.0000	0.0000		ON THE LINE
6.0000	8.0000		OUT
3.0000	3.0000		OUT
4.0000	6.0000		OUT
7.0000	0.0000		ON THE LINE
6.0000	4.0000		CORNER
13.0000	0.0000		CORNER
6.0000	7.0000		OUT
12.0000	0.0000		ON THE LINE
0.0000	5.0000		OUT
7.0000	5.0000		OUT
			001

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C - 5	0.0000	0.0000
	6.0000	7.0000
	12.0000	0.0000
	6.0000	3.0000

4

ď

CHECKING THE INPUT (X, Y) POINTS

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	OUT	OUT
2.0000	3.0000	OUT	OUT
6.0000	3.0000	CORNER	CORNER
8.0000	3.0000	IN	IN
5.0000	0.0000	OUT	OUT
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	OUT	OUT
-3.0000	4.0000	OUT	our
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	OUT	OUT
4.0000	0.0000	OUT	OUT
6.0000	0.0000	OUT	OUT
10.0000	0.0000	OUT	OUT
6.0000	8.0000	OUT	OUT
3.0000	3.0000	IN	IN
4.0000	6.0000	OUT	OUT
7.0000	0.0000	OUT	OUT
6.0000	4.0000	IN	IN
13.0000	0.0000	OUT	OUT
6.0000	7.0000	CORNER	CORNER
12.0000	0.0000	CORNER	CORNER
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

QUADRILATERAL	X-COORDINATE	Y-COORDINATE

C-6	0.0000	0.0000
	0.0000	5.0000
	7.0000	0.0000
	7.0000	5.0000

TO REPORT OF THE PARTY OF THE P

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4 0000		
4.0000	4.0000		OUT
2.0000	1.0000		OUT
6.0000	3.0000		IN
8.0000	3.0000		IN
	3.0000		OUT
5.0000 2.0000	0.0000		OUT
	7.0000		OUT
8.0000	7.0000		OUT
6.0000	2.0000		IN
-3.0000	4.0000		OUT
-2.0000	7.0000		OUT
0.0000	0.0000		CORNER
2.0000	0.0000		OUT
4.0000	0.0000		OUT
6.0000	0.0000		OUT
10.0000	0.0000		OUT
6.0000	8.0000		OUT
3.0000	3.0000		OUT
4.0000	6.0000		OUT
7.0000	0.0000		CORNER
6.0000	4.0000		IN
13.0000	0.0000		OUT
6.0000	7.0000		OUT
12.0000	0.0000		OUT
0.0000	5.0000		CORNER
7.0000	5,0000		CORNER

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-7	0.0000	0.0000
	10.0000	0.0000
	6.0000	8.0000
	2.0000	4.0000

ned achieco, necesso obsesso accesso desessor comence desessor desessor necessor decessor especial deservation

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	IN	IN
6.0000	3.0000	IN	IN
8.0000	3.0000	IN	IN
5.0000	0.0000	IN	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	IN	ON THE LINE
4.0000	0.0000	IN	ON THE LINE
6.0000	0.0000	IN	ON THE LINE
10.0000	0.0000	CORNER	CORNER
6.0000	8.0000	CORNER	CORNER
3.0000	3.0000	IN	IN
4.0000	6.0000	IN	ON THE LINE
7.0000	0.0000	IN	ON THE LINE
6.0000	4.0000	IN	IN
13.0000	0.0000	OUT	OUT
6.0000	7.0000	IN	IN
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

1.

```
C
      This program reads in (x,y) values a three quadrilateral
C
      having 4 corners. A test point (x,y) is checked to determine 1^2
C
      the inputted point falls in the quadrilaterals
C
C
                             Robert J. Gardner, J P L.
      Algorithm designed by:
C
                            Nick Covella, J.P.L.
             Implemented by:
C
                     Dated: March, 1985
C
         Real *8 XArray (1, 4), YArray (1, 4)
         Real *8 New XArray (1, 4), New YArray (1, 4)
         Real *8 In Xcoord, In Ycoord
         Character*1 Resol. Resp2, Flag
         Integer Guadentr
C***********************************
C************************
        Open(Unit = 1,File='Ryg. Dat', Status = 'New')
        Open(Unit = 2, File='Pts Dat', Status = 'Old')
        Call Skip(1)
        Call Skip(2)
        Call Prompti(Respi)
        Quadentr = 0
        Do While ((Resp1 .EQ. 'Y') .OR. (Resp1 .EQ. 'y'))
           Quadentr = Quadentr + 1
           Open(Unit = 3, File='Test. Dat', Status = 'Old')
           Call Initialize(XArray, YArray, NewXArray, NewYArray)
           Call LoadArrays(XArray, YArray, Quadentr)
           Call Unicadarrays(XArray, YArray, Quadentr)
           Call Prompt2(Resp2, InXcoord, InYcoord)
           Do While ((Resp2 .EQ. 'Y') .OR. (Resp2 .EQ. 'y'))
              Call TestPt(InXcoord, InYcoord, XArray, YArray, Flag)
23
              Call Transform(InXcoord, InYcoord, XArray, YArray,
                            NewXArray, NewYArray)
              Call Test_It(NewXArray, NewYArray, InXcoord, InYcoord)
              GO TO 29
29
              Call Prompt2(Resp2, InXcoord, InYcoord)
              If ((Resp2 . EQ. 'N') . DR. (Resp2 . EQ. 'n')) Then
                Close(Unit=3)
              End If
           End Do
           Call Prompti(Respi)
        End Do
        Write(5, 55)
      Close(Unit=1)
      Close(Unit=2)
      Format(T2, 'Normal Completion of Program by N. Covella')
      Stop
      End
②操者每些产者者要的基本的。
      Subroutine TestPt(InXcoord, InYcoord, KArray, YArray, Flag)
C
      This subroutine checks if the point is one of the corners
```

C-21

Program R_J_G

STATE OF THE PARTY OF THE PARTY

THE PARTY OF THE PROPERTY OF THE PARTY OF TH

```
С
```

```
Real +8 XArray (1, 4), YArray (1, 4)
        Real #8 InXcoord, InYcoord
        Character #1 Flag
        Flag = 'F'
        Do 10 I = 1.4
           If (Inxcoord . EQ. XArray(1, I)) Then
             If (InYcoord .EQ. YArray(1, I)) Then
                Flag = 'T'
             End If
           End If
10
        Continue
        Return
        End
Subroukine Initialize(XArray, YArray, NewXArray, NewYArray)
C
С
     This subroutine initializes the two arrays (i.e. quadrilateral
č
     and Analyst) to zero so that any unknown values may be detected
        Real*S XArray(1, 4), YArray(1, 4)
        Real*8 NewXArray(1,4), NewYArray(1,4)
        Integer Index
        Do 10 Index = 1.4
           Xarray(1, Index) = 0
           Yarray(1, Index) = 0
           NewXarray(1, Index) = 0
           NewYarray(t, Index) = 0
10
        Continue
        Return
        End
C********************************
Subroutine LoadArrays(XArray, YArray, Kount)
C
C
      This subroutine loads the 3 quadrilaterals with (x,y) coordinates
C
      for each corner of the corresponding quadrilaterals.
        Real*S XArray(1,4), YArray(1,4)
        Intoger Kount
        Write(5,01)
        Write(1,01)
        Do 10 Index = 1,4
           Write(5,97) Index, Kount
           Read (2,99) XArray(1, Index)
           Write(5,98) Index, Kount
           Read (2,99) YArray(1,Index)
10
        Continue
                              C-22
```

```
Oi
        Format(' ')
97
         Format(T1, ' Input X_coordinate #', I1, T23,
                   ' for Quadrilateral #', Ii)
         Format(T1, 'Input Y_coordinate #', I1, T23,
93
                   ' for Quadrilateral #', Ii)
97
         Format(F9. 4)
        Return
        End
Subrouting UnLoadArrays(XArray, YArray, QuadNo)
C
C
      This subroutine displays the inputted values of the
C
      (x,y) coordinates for each quadrilateral and the
C
      (x,y) coordinate that is to be checked whether or not it
Ç
      is in any of the three quadrilaterals.
        Real#3 XArray(1,4), YArray(1,4)
         Integer GuadNo, Index
        Write(5, 96)
        Write(5,97)
        Write(1,95)
        Write(1,97)
        Do 10 Index = 1.4
           Write(5,98) QuadNo, XArray(1, Index), YArray(1, Index)
           Write(1,98) QuadNo, XArray(1, Index), YArray(1, Index)
10
        Continue
        Write(1,97)
94
        Format(T3, 'Quadrilateral', T18, 'X-Coord', T30,
               (Y-Coord ()
97
        Format(T3, '----', T18, '----', T30,
               (--- --- ()
93
        Format(T9, I1, T15, F9, 4, T27, F9, 4)
        Return
        End
C************************
Subroutine Transform(Inxcoord, InYcoord, XArray, YArray,
                       NewXArray, NewYArray)
C
C
     This subroutine normalizes the inputted quadrilaterals to
C
     coordinates (0,0) for easy calculations based on the origin.
     Real*B Xarray(1,4), YArray(1,4)
     Real*8 NewKArray(1,4), NewYArray(1,4)
     Real*3 InXcoord, InYcoord
     Integer Index
     Do 10 Index = 1.4
        NewXArray(i,Index) = XArray(i,Index) - InXcoord
        NewYArray(1, Index) = YArray(1, Index) - InYcoord
10
     Continue
                                C-23
```

kyes accepta, blacks, some

PROPERTY AND PROPERTY

```
Subrouting Test_It(NewXArray, NewYArray, X, Y)
        Integer EValue, Index, J
        Roal*R NewXArray(1,4), NewYArray(1,4)
        Real*B X, Y, A(4), M(4), Sum, R, Tmp1, Tmp2
        Character*1 Loop, Exit
        R = 0.0001
        Do 10 Index = 1.4
           M(Index) = DSQRT((NewXArray(1, Index) ** 2) +
                            (NewYArray(1, Index) ** 2))
           If (M(index) . LE. R) Then
C
              Prevention of division by zero.
              Write(5,59)
              Weite(1,99)
              GOTU 13
           End (f
10
        Continue
        Index = 1
        J = 3
        Sum = 0
        Do While (Index . LE. 4)
           If (Index . EQ. 4) Then
              J = 1
           End If
           Tmp1 = ((NewXArray(1, Index) * NewYArray(1, J)) -
                   (NewXArray(1, J) * NewYArray(1, Index)))
           Tmp2 = ((NewXArray(1, Index) * NewXArray(1, U)) +
                  (NewYArray(t, Index) * NewYArray(1, J)))
           A(Index) = DACOSD(Imp2 / (M(Index) * M(J)))
           If (A(Index) .GT. 179.88) Then
             Write(5,30)
30
               Format(T2, 'The point is ON THE LINE.')
             Write(1,31)
31
               Format(T2, 'The point is ON THE LINE, ')
           GO TO 13
           Endif
           If ([mp1 .LT. 0 0) Then
            \Delta(Index) = -\Delta(Index)
           Endif
           Sum = Sum + A(Index)
           Index = Index + 1
           J : J + 1
       End Do
          EValue = JIDNNT(ABS(Sum / 360 0))
           If (EValue .EQ. 0) Then
              Write(5, 27)
              Write(1,27)
          El de
              White(5, 25)
              Write(1,28)
          Endise
```

C-24

```
27
     Format(T2, 'Point not anclosed, ')
20
     Format(T2, 'Point is enclosed, ')
90
     Format(T2, 'Point of interest is on the VERTEX')
13
     Continue
     Return
     End
Subroutine Skip(Lines)
C
C
     This subroutine skips the indicating number of lines by
     the place where skip has been called from (i.e. many places)
    Intager Lilines
    Do 10 I = 1, Lines
      Write(5, 11)
10
    Continue
11
    Format(' ')
    Return
    End
Subroutine Prompt1(Response)
C
     This subroutine Prompts the user if he/she wants to input
C
     data to determine if the point of interest falls within
     any one of three quadrilaterals.
    Character#1 Response
    Call Skip(1)
    Write(5,55)
    Write(5,55)
    Write(5, 57)
    Call Skip(1)
    Read(5,99) Response
    Format(' ')
    Format(T2, Would you like to input some coordinates to 1)
55
    Format(T2, 'determine if a point falls in an inputted ')
56
    Format(T2, 'quadrilateral?' Y/N ')
57
90
    Format(A1)
    Return
    End
Subroutine Prompt2(Response, InXcoord, InYcoord)
C
     This subroutine Promots the user if he/she wants to input
C
     data to determine if the point of interest falls within
     any one of three quadrilaterals. C-25
```

```
keal*8 InXcoord, InYcoord
      Character*1 Response
       Call Skip(1)
      write(5, 55)
       Read(5, 89) Response
       Call Skip(1)
       If ((Response . EQ. `Y`) . OR. (Response . EQ. `y`)) Then
          write(1, 01)
          Write(1, U1)
          Write(5, 97)
          Read(3, 99) InXcoord
          Write(1, 95) InXcoord
          Write(1, 01)
          Write(5, 98)
          Read(3, 99) InYcoord
          Write(1, 96) InYcoord
          write(1, 01)
          Write(1, 01)
       Endif
       Format(' ')
01
55
       Format(T2, Input a point to test?? Y/N )
89
       rormat(Al)
      Format(T2, Inputted X-Coordinate ===> , F9.6)
Format(T2, Inputted Y-Coordinate ===> , F9.6)
Format(T2, Input X-coord: )
Format(T2, Input Y-coord: )
95
96
97
98
99
       Format(F9.4)
       Return
       End
```

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-1	0.0000	0.0000
	2.0000	0.0000
	4.0000	0.0000
	6.0000	0.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
			,
4.0000	4.0000	OUT	OUT
4.0000	1.0000	OUT	OUT
2.0000	3.0000	OUT	OUT
6.0000	3.0000	TUO	OUT
8.0000	3.0000	OUT	OUT
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	OUT	OUT
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	CORNER	CORNER
4.0000	0.0000	CORNER	CORNER
6.0000	0.0000	CORNER	CORNER
10.0000	0.0000	OUT	OUT
6.0000	8.0000	OUT	OUT
3.0000	3.0000	OUT	OUT
4.0000	6.0000	OUT	OUT
7.0000	0.0000	OUT	OUT
6.0000	4.0000	OUT	OUT
13.0000	0.0000	OUT	OUT
6.0000	7.0000	OUT	OUT
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	OUT	OUT

***********		444
QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-2	0.0000	0.0000
	10.0000	0.0000
	6.0000	8.0000
	3.0000	3.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
	*		
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	OUT	OUT
6.0000	3.0000	IN	IN
8.0000	3.0000	IN	IN
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	ON THE LINE	ON THE LINE
10.0000	0.0000	CORVER	CORNER
6.0000	8.0000	CORNER	CORNER
3.0000	3.0000	CORNER	CORNER
4.0000	6.0000	OUT	OUT
7.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	4.0000	IN	IN
13.0000	0.0000	TUC	OUT
6.0000	7.0000	IN	IN
12.0000	0.0000	TUC	TUC
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

######################################		
QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-3	0.0000	0.0000
	4.0000	6.0000
	7.0000	0.0000
	10.0000	0.0000

	# * * * * * * * * *		
INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	ON THE LINE	ON THE LINE
6.0000	3.0000	OUT	TUO
8.0000	3.0000	OUT	OUT
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	ON THE LINE	ON THE LINE
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	ON THE LINE	ON THE LINE
10.0000	0.0000	CORNER	CORNER
6.0000	8.0000	OUT	OUT
3.0000	3.0000	IN	IN
4.0000	6.0000	CORNER	CORNER
7.0000	0.0000	CORNER	CORNER
6.0000	4.0000	OUT	OUT
13.0000	0.0000	OUT	OUT
6.0000	7.0000	OUT	OUT
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	OUT	OUT

#==#==##==		
QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-4	0.0000	0.0000
	6.0000	4.0000
	13.0000	0.0000
	6.0000	0.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT

4.0000	4.0000	OUT	OUT
4.0000	1.0000	IN	IN
2.0000	3.0000	OUT	TUO
6.0000	3.0000	IN	IN
8.0000	3.0000	. OUT	OUT
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	CORNER	CORNER
10.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	8.0000	OUT	OUT
3.0000	3.0000	OUT	OUT
4.0000	6.0000	OUT	OUT
7.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	4.0000	CORNER	CORNER
13.0000	0.0000	CORNER	CORNER
6.0000	7.0000	OUT	OUT
12.0000	0.0000	ON THE LINE	ON THE LINE
0.0000	5.0000	TUO	OUT
7.0000	5.0000	OUT	OUT

X-COORDINATE	Y-COORDINATE
0.0000	0.0000
6.0000	7.0000
12.0000	0.0000
6.0000	3.0000
	X-COORDINATE 0.0000 6.0000 12.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4 0000	/ 0000		
4.0000	4.0000	IN	IN
4.0000	1.0000	OUT	OUT
2.0000	3.0000	OUT	OUT
6.0000	3.0000	CORNER	CORNER
8.0000	3.0000	IN	IN
5.0000	0.0000	OUT	OUT
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	OUT	OUT
-3.0000	4.0000	OUT	our
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	OUT	OUT
4.0000	0.0000	OUT	OUT
6.0000	0.0000	OUT	OUT
10.0000	0.0000	OUT	OUT
6.0000	8.0000	OUT	OUT
3.0000	3.0000	IN	IN
4.0000	6.0000	OUT	OUT
7.0000	0.0000	OUT	OUT
6.0000	4.0000	IN	IN
13.0000	0.0000	OUT	OUT
6.0000	7.0000	CORNER	CORNER
12.0000	0.0000	CORNER	CORNER
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

QUADRILATERAL.	X-COORDINATE	Y-COORDINATE
************	#	
C-6	0.0000	0.0000
	0.0000	5.0000
	7.0000	0.0000
	7.0000	5.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	OUT	OUT
4.0000	1.0000	OUT	OUT
2.0000	3.0000	IN	IN
6.0000	3.0000	IN	IN
8.0000	3.0000	OUT	OUT
5.0000	0.0000	OUT	OUT
2.0000	7.0000	OUT	OUT
8.0000	7.0000	TUO	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	our	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	OUT	OUT
4.0000	0.0000	OUT	OUT
6.0000	0.0000	OUT	OUT
10.0000	0.0000	OUT	out
6.0000	8.0000	OUT	OUT
3.0000	3.0000	OUT	OUT
4.0000	6.0000	OUT	OUT
7.0000	0.0000	CORNER	CORNER
6.0000	4.0000	IN	IN
13.0000	0.0000	OUT	OUT
6.0000	7.0000	OUT	OUT
12.0000	0.0000	OUT	OUT
0.0000	5.0000	CORNER	CORNER
7.0000	5.0000	CORNER	CORNER

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
~		
C-7	0.0000	0.0000
	10.0000	0.0000
	6.0000	8.0000
	2.0000	4.0000

Secretary respective assertions

E

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	IN	ИЛ
6.0000	3.0000	IN	IN
8.0000	3.0000	IN	ĪΝ
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8,0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OU'l'
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	ON THE LINE	ON THE LINE
10.0000	0.0000	CORNER	CURNER
6.0000	8.0000	CORNER	CORNER
3.0000	3.0000	IN	IN
4.0000	6.0000	ON THE LINE	ON THE LINE
7.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	4.0000	IN	ГИ
13.0000	0.0000	OUT	OUT
6.0000	7.0000	IN	IN
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OU'I'
7.0000	5.0000	IN	IN

```
Program Test_it
C
C
    This program accepts the verticies of a 4-sided quadrilateral
C
    and determines whether or not a given point lies inside or
Ç
    outside the figure.
C
C
    Algorithm designed by: Fred Lesh, J.P.L.
C
           Implemented by: Nick Covella, J.P.L.
C
                    Dated: January, 1985
        Integer Quadentr, Index, Flag, NoOfSides
        Real*S Sigma, Temp, X, Y, U(8), V(8), NoOfEnclosures
        Real*3 S(S), InX(S,S), InY(3,S), Tmp(S), Delta(S), Epsilon
        Character*1 Answ. Resp
        Data Quadentr, Epsilon, NoOfSides 70, 0, 0001, 4/
        Open(Unit=1.File='Freds.Dat' ,Status='New')
        Open(Unit=2, File='Pts, Dat'
                                     ,Status='Old')
        Open(Unit=4, File='FredRes, Dat', Status='Old')
30
        Open(Unit=3, File='Test, Dat' , Status='Old')
        Quadentr = Quadentr + 1
        Index
                 = 1
        Do While (Index .LE. NoOfSides)
           Write(1,01)
           Write(5,99) Index, Guadentr
           Write(1,99) Index, Quadentr
           Read(2,97) InX(Guadentr,Index)
           Write(1,97) InX(Guadentr,Index)
           Write(1 01)
           Write(5,98) Index, Quadentr
           Write(1,78) Index, Quadentr
           Read(2,97) InY(Guadentr, Index)
           Write(1,77) InY(Guadentr, Index)
           Index = Index + 1
        End do
        NoOfEnclosures = 0
20
        Write(1,01)
        Write(1,96)
        Read(G,97) X
        Write(1,97) X
        Write(1.01)
        Write(1,95)
        Read(3,97) Y
        Write(1,97) Y
        Index = 1
        U(Quadentr)
                      = InX(Quadentr, Index) - X
        V(Quadentr)
                      = InY(Guadentr, Index) - Y
                      = 0
        Tmp(Quadentr) = Scale(U(Quadentr), V(Quadentr))
        Flag
                      = 1
        Index
                      = 2
        Write(5,31) X, Y
31
        Do While ((Index LE. 5) AND. (Flag EG. 1))
           If (Index .EQ. 5) Then
               Index = 1
               Fiag = 0
           Endif
           U(Index)
                    = InX(Quadentr,Index) - X
           V(Index) = InY(Guadentr, Index) - Y
           If ((U(Index) EQ. 0) AND, (V(Index) , EQ. 0)) Then
                                     C-34
```

```
Sigma
                    = 3
              GO TO 11
           Endif
                    = Scalc(U(Index), V(Index))
           S((ndex)
           Temp = S(Index) - Tmp(Quadentr)
           If (Abs(Temp) .Lf. (4 - Epsilon))
                Delta(Index) = Temp
           Else If (Temp .Lf. (-4 - Epsilon)) Then
                Delta(Index) = Temp + 8
           Else If (Temp .Gf. ( 4 + Epsilon)) Then
                Delta(Index) = Temp - 8
           Else
                Sigma = 3
                GOTO 11
           Tmp(Quadcntr) = S(Index)
           Sigma = Sigma + Delta(Index)
           Index = Index + 1
       End do
11
       NoOfEnclosures = NINT(ABS(Sigma/8))
       Write(5,94) NoOfEnclosures
       Write(1,01)
       Write(1,94) NoOfEnclosures
       If (NoOfEnclosures .LT. 1) Then
          Write(5,43) Quadentr
          Write(1,01)
          Write(1,43) Quadente
       Else
          Write(5,44) Quadentr
          Write(1,01)
          Write(1,44) Guadentr
       Endif
       Write(5,01)
       Write(5,93)
       Write(1,01)
       Write(1, 93)
       Read(4,92) Answ
       Write(1,92) Answ
       If ((Answ.EQ. 'y').OR. (Answ.EQ. 'Y')) Then
          GB 10 20
       Else
          Close(Unit=3)
          Write(5,91)
          Write(1,01)
          Write(1,91)
          Read (4, 90) Resp
          Write(1,90) Resp
          If ((Resp., EQ., 'y') OR., (Resp., EQ.,
                                               (Y')) Then
             GO TO 30
          Endif
       Endif
       Print * 'Normal completion of program.'
       Format(T2, ' ')
Οi
44
       Format(T2, 'Point is IN quadrilateral #', I1)
43
       Format(T2, 'Point is OUT of quadrilateral #', Ii)
90
       Format(A1)
71
       Format(TE, 'More quadrilaterals')')
92
       Format(Al)
73
       Format(T2, 'More test points 70') C-35
```

STALL SERVICE, SERVICE SERVICE

CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE

```
74
     Format(T2, 'Value of Enclosures ==> ',F15.13)
75
     Format(T2, 'Input Y value for the point in question, ')
     Format(72, 'Input X value for the point in question, ')
96
97
     Format(F15.4)
78
     Format(T2, 'Input y-coord #', I1, T19, 'of quad #', I1)
ĢĢ
     Format(T2, 'Input x-coord #', I1, T19, 'of quad #', I1)
     Stop
     End
Real*8 Function Scalc(U,V)
C
C
    This function returns the distance around the unit square (i.e
C
    the size being a 1 x 1 square) in a counter clockwise manner
C
    Real*8 U.V
    If ((ABG(V) \cup GE, (ABS(U))) \cup AND, (V \cup GT, O))
                                           Then
        Scale = 1 - (U/V)
    Else If ((ABS(U) . GE. (ABS(V))) . AND. (U .LT. O)) Then
        Scalc = 3 + (V/U)
    Else If ((ABS(V) .GE. (ABS(U))) .AND. (V .LT. O)) Then
        Scalc = 5 - (U/V)
    Else If ((ABS(U) .GE. (ABS(V))) .AND. (U .GT. O)) Then
        Scalc = 7 + (V/U)
    End if
    Return
    End
```

120

1

7

なが

7

Ė

6-:

announce the second sec

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-1	0.0000	0.0000
	2.0000	0.0000
	4.0000	0.0000
	6.0000	0.0000

\$

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	OUT	OUT
4.0000	1.0000	OUT	OUT
2.0000	3.0000	OUT	OUT
6.0000	3.0000	OUT	OUT
8.0000	3.0000	OUT	OUT
5.0000	0.0000	IN	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	OUT	OUT
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	TUO
0.0000	0.0000	IN	CORNER
2.0000	0.0000	IN	CORNER
4.0000	0.0000	IN	CORNER
6.0000	0.0000	IN	CORNER
10.0000	0.0000	OUT	OUT
6.0000	8.0000	OUT	TUO
3.0000	3.0000	OUT	OUT
4.0000	6.0000	OUT	OUT
7.0000	0.0000	OUT	OUT
6.0000	4.0000	OUT	OUT
13.0000	0.0000	OUT	OUT
6.0000	7.0000	OUT	OUT
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	OUT	OUT

~~~~~~~~~		
QUADRILATERAL	X-COORDINATE	Y-COORDINATE
A		
C-2	0.0000	0.0000
	10.0000	0.0000
	6.0000	8.0000
	3.0000	3.0000

4.0000 1.0000 IN IN IN OUT	INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000       1.0000       IN       IN         2.0000       3.0000       OUT       OUT         6.0000       3.0000       IN       IN         8.0000       3.0000       IN       ON THE LIN         5.0000       0.0000       OUT       OUT         8.0000       7.0000       OUT       OUT         6.0000       2.0000       IN       IN         3.0000       4.0000       OUT       OUT         0.0000       7.0000       OUT       OUT         0.0000       7.0000       OUT       ON THE LIN         0.0000       0.0000       IN       CORNER         3.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT       OUT         7.0000       0.0000       IN       IN       IN         3.0000       1.0000       IN       ON THE LIN         0.0000       1.0000       OUT       OUT         0.0000       0.00	4.0000	4.0000	IN	IN
2.0000       3.0000       OUT       OUT         6.0000       3.0000       IN       IN         8.0000       3.0000       IN       ON THE LIN         5.0000       0.0000       OUT       OUT         8.0000       7.0000       OUT       OUT         6.0000       2.0000       IN       IN         3.0000       4.0000       OUT       OUT         2.0000       7.0000       OUT       OUT         0.0000       0.0000       IN       CORNER         2.0000       0.0000       IN       ON THE LIN         4.0000       0.0000       IN       ON THE LIN         6.0000       0.0000       IN       CORNER         3.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT         7.0000       0.0000       IN       ON THE LIN         6.0000       4.0000       IN       ON THE LIN         7.0000       0.0000       IN       ON THE LIN         0.0000       1N       ON THE LIN         0.0000       1N       ON THE LIN         0.0000       1N       ON THE LIN         0.000	4.0000	1.0000	IN	
6.0000       3.0000       IN       IN         8.0000       3.0000       IN       IN         5.0000       0.0000       IN       ON THE LIN         2.0000       7.0000       OUT       OUT         8.0000       7.0000       OUT       OUT         6.0000       2.0000       IN       IN         3.0000       4.0000       OUT       OUT         0.0000       7.0000       OUT       OUT         0.0000       0.0000       IN       ON THE LIN         0.0000       0.0000       IN       ON THE LIN         0.0000       0.0000       IN       ON THE LIN         0.0000       1N       CORNER         0.0000       1N       CORNER         0.0000       1N       CORNER         0.0000       1N       CORNER         0.0000       1N       ON THE LIN         1N       ON THE LIN       ON THE LIN         1N       ON THE LIN       ON THE LIN         1N       ON THE LIN	2.0000	3.0000		
8.0000 3.0000 IN IN ON THE LIN 2.0000 7.0000 OUT	6.0000	3.0000		
5.0000       0.0000       IN       ON THE LIN         2.0000       7.0000       OUT       OUT         8.0000       7.0000       OUT       OUT         6.0000       2.0000       IN       IN         3.0000       4.0000       OUT       OUT         2.0000       7.0000       OUT       OUT         0.0000       1N       ON THE LIN         2.0000       0.0000       IN       ON THE LIN         4.0000       0.0000       IN       ON THE LIN         0.0000       0.0000       IN       CORNER         6.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT         7.0000       0.0000       IN       ON THE LIN         6.0000       4.0000       IN       ON THE LIN         6.0000       4.0000       IN       ON THE LIN         6.0000       7.0000       OUT       OUT         6.0000       7.0000       IN       IN         3.0000       1N       OUT       OUT         6.0000       7.0000       OUT       OUT       OUT	8.0000	3.0000		
2.0000       7.0000       OUT       OUT         8.0000       7.0000       OUT       OUT         6.0000       2.0000       IN       IN         3.0000       4.0000       OUT       OUT         2.0000       7.0000       OUT       OUT         0.0000       IN       CORNER         2.0000       0.0000       IN       ON THE LIN         4.0000       0.0000       IN       ON THE LIN         0.0000       1N       CORNER         6.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT         7.0000       0.0000       IN       ON THE LIN         6.0000       4.0000       IN       ON THE LIN         6.0000       4.0000       IN       ON THE LIN         6.0000       7.0000       OUT       OUT         6.0000       7.0000       OUT       OUT         6.0000       7.0000       OUT       OUT         6.0000       7.0000       OUT       OUT	5.0000	0.0000	IN	ON THE LINE
8.0000       7.0000       OUT       OUT         6.0000       2.0000       IN       IN         3.0000       4.0000       OUT       OUT         2.0000       7.0000       OUT       OUT         0.0000       IN       ON THE LIN         4.0000       0.0000       IN       ON THE LIN         6.0000       0.0000       IN       ON THE LIN         6.0000       8.0000       IN       CORNER         6.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT         7.0000       0.0000       IN       ON THE LIN         6.0000       4.0000       IN       ON THE LIN         7.0000       0.0000       OUT       OUT         6.0000       7.0000       OUT       OUT         6.0000       7.0000       IN       IN         1N       IN       IN       IN         1N       OUT       OUT	2.0000	7.0000		
6.0000 2.0000 IN IN OUT 2.0000 7.0000 OUT OUT 0.0000 7.0000 IN CORNER 2.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN CORNER 6.0000 0.0000 IN CORNER 3.0000 3.0000 IN CORNER 3.0000 3.0000 IN CORNER 4.0000 6.0000 OUT OUT 7.0000 0.0000 IN ON THE LIN 0.000 1N ON THE LIN 0.000 1N ON THE LIN 0.000 OUT 0.0000 OUT 0.0000 OUT	8.0000	7.0000	OUT	
3.0000 4.0000 OUT OUT 2.0000 7.0000 OUT OUT 0.0000 1N CORNER 2.0000 0.0000 IN ON THE LIN 4.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN CORNER 6.0000 8.0000 IN CORNER 3.0000 3.0000 IN CORNER 4.0000 6.0000 OUT OUT 7.0000 0.0000 IN ON THE LIN 0.0000 IN CORNER 0.0000 IN CORNER 0.0000 IN OUT 0.0000 0.0000 IN ON THE LIN 1.0000 OUT 0.0000 OUT	6.0000	2.0000	IN	
2.0000       7.0000       OUT       OUT         0.0000       0.0000       IN       CORNER         2.0000       0.0000       IN       ON THE LIN         4.0000       0.0000       IN       ON THE LIN         6.0000       0.0000       IN       CORNER         6.0000       3.0000       IN       CORNER         3.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT         7.0000       0.0000       IN       ON THE LIN         3.0000       4.0000       IN       OUT         3.0000       0.0000       OUT       OUT         6.0000       7.0000       IN       OUT	-3.0000	4.0000	TUO	
0.0000       0.0000       IN       CORNER         2.0000       0.0000       IN       ON THE LIN         4.0000       0.0000       IN       ON THE LIN         6.0000       0.0000       IN       CORNER         6.0000       8.0000       IN       CORNER         3.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT         7.0000       0.0000       IN       ON THE LIN         3.0000       4.0000       IN       OUT         6.0000       7.0000       OUT       OUT         6.0000       7.0000       OUT       OUT	-2.0000	7.0000	OUT	
2.0000       0.0000       IN       ON THE LIN         4.0000       0.0000       IN       ON THE LIN         6.0000       0.0000       IN       ON THE LIN         0.0000       1N       CORNER         6.0000       3.0000       IN       CORNER         4.0000       6.0000       OUT       OUT         7.0000       0.0000       IN       ON THE LIN         6.0000       1N       ON THE LIN         IN       OUT       OUT         0.0000       OUT       OUT         1N       OUT       OUT         0000       OUT       OUT	0.0000	0.0000	IN	
4.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN CORNER 6.0000 8.0000 IN CORNER 3.0000 3.0000 IN CORNER 4.0000 6.0000 OUT OUT 7.0000 0.0000 IN ON THE LIN 1.0000 0.0000 IN OUT 1.0000 0.0000 IN OUT 1.0000 0.0000 OUT 1.0000 OUT		0.0000	IN	ON THE LINE
6.0000 0.0000 IN ON THE LIN 0.0000 0.0000 IN CORNER 6.0000 8.0000 IN CORNER 3.0000 3.0000 IN CORNER 4.0000 6.0000 OUT OUT 7.0000 0.0000 IN ON THE LIN 6.0000 4.0000 IN IN IN 3.0000 0.0000 OUT OUT 6.0000 7.0000 IN IN OUT 6.0000 7.0000 OUT OUT 6.0000 7.0000 OUT OUT			IN	ON THE LINE
6.0000 8.0000 IN CORNER 3.0000 3.0000 IN CORNER 4.0000 6.0000 OUT OUT 7.0000 0.0000 IN ON THE LIN 6.0000 4.0000 IN IN IN 3.0000 0.0000 OUT OUT 6.0000 7.0000 IN IN IN 6.0000 7.0000 OUT OUT		0.0000	IN	ON THE LINE
3.0000 3.0000 IN CORNER 4.0000 6.0000 OUT OUT 7.0000 0.0000 IN ON THE LIN 6.0000 4.0000 IN IN IN 3.0000 0.0000 OUT OUT 6.0000 7.0000 IN IN IN 2.0000 0.0000 OUT OUT			IN	CORNER
4.0000 6.0000 OUT OUT 7.0000 0.0000 IN ON THE LIN 6.0000 4.0000 IN IN IN 3.0000 0.0000 OUT OUT 6.0000 7.0000 IN IN IN 2.0000 0.0000 OUT OUT			IN	CORNER
7.0000 0.0000 IN ON THE LIN 6.0000 4.0000 IN IN OUT 3.0000 0.0000 OUT OUT 6.0000 7.0000 IN IN IN 2.0000 0.0000 OUT OUT			IN	CORNER
6.0000 4.0000 IN IN SIN OUT			OUT	OUT
3.0000 0.0000 OUT OUT 6.0000 7.0000 IN IN 2.0000 0.0000 OUT OUT				ON THE LINE
6.0000 7.0000 IN IN OUT			IN	IN
2.0000 0.0000 OUT OUT			OUT	OUT
0.000				IN
0.0000 5.0000 OUT OHT			OUT	OUT
			OUT	OUT
7.0000 IN IN	7.0000	5.0000	IN	IN

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-3	0.0000	0.0000
	4.0000	6.0000
	7.0000	0.0000
	10.0000	0.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	IN	ON THE LINE
6.0000	3.0000	OUT	OUT
8.0000	3.0000	OUT	OUT
5.0000	0.0000	IN	ON THE LINE
2.0000	7.0000	TUO	OUT
8.0000	7.0000	TUO	OUT
6.0000	2.0000	IN	ON THE LINE
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	TUO
0.0000	0.0000	IN	CORNER
2.0000	0.0000	IN	ON THE LINE
4.0000	0.0000	IN	ON THE LINE
6.0000	0.0000	IN	ON THE LINE
10.0000	0.0000	IN	CORNER
6.0000	8.0000	OUT	OUT
3.0000	3.0000	IN	IN
4.0000	6.0000	IN	CORNER
7.0000	0.0000	IN	CORNER
6.0000	4.0000	OUT	OUT
13.0000	0.0000	OUT	OUT
6.0000	7.0000	OUT	OUT
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	OUT	OUT

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-4	0.0000	0.0000
	6.0000	4.0000
	13.0000	0.0000
	6.0000	0.0000

WARRING THE PROPERTY OF THE PR

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
			ACTUAL RESULT
4.0000	4.0000	OUT	OUT
4.0000	1.0000	IN	IN
2.0000	3.0000	OUT	OUT
6.0000	3.0000	IN	IN
8.0000	3.0000	OUT	OUT
5.0000	0.0000	IN	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	IN	CORNER
2.0000	0.0000	IN	ON THE LINE
4.0000	0.0000	IN	ON THE LINE
6.0000	0.0000	IN	CORNER
10.0000	0.0000	IN	ON THE LINE
6.0000	8.0000	OUT	OUT
3.0000	3.0000	OUT	OUT
4.0000	6.0000	OUT	OUT
7.0000	0.0000	IN	ON THE LINE
6.0000	4.0000	IN	CORNER
13.0000	0.0000	IN	CORNER
6.0000	7.0000	OUT	OUT
12.0000	0.0000	IN	ON THE LINE
0.0000	5.0000	OUT	OUT
7.0000	5.0000	OUT	OUT

		*******
QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-5	0.0000 6.0000 12.0000 6.0000	0.0000 7.0000 0.0000 3.0000

a l'occoment despession (acception à value production des productions de la conference de l

		~~~~~~~~~~~~~~~~~	
INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	OUT	
2.0000	3.0000	OUT	TUO
6.0000	3.0000	IN	TUO
8.0000	3.0000	IN	CORNER
5.0000	0.0000	OUT	IN
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	OUT	OUT
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	IN	OUT
2.0000	0.0000	OUT	CORNER
4.0000	0.0000	OUT	OUT
6.0000	0.0000	OUT	OUT
10.0000	0.0000	OUT	OUT
6.0000	8.0000	OUT	OUT
3.0000	3.0000	IN	OUT
4.0000	6.0000	OUT	IN
7.0000	0.0000	OUT	OUT
6.0000	4.0000	IN	OUT
13.0000	0.0000	OUT	IN
6.0000	7.0000	IN	OUT
12.0000	0.0000		CORNER
0.0000	5.0000	IN	CORNER
7.0000	5.0000	OUT	TUO
	3.0000	IN	IN

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-6	0.0000	0.0000
	0.0000	5.0000
	7.0000	0.0000
	7.0000	5.0000

4.0000 4.0000 OUT 4.0000 1.0000 OUT 2.0000 3.0000 IN 6.0000 3.0000 OUT 5.0000 0.0000 OUT 2.0000 7.0000 OUT 6.0000 7.0000 OUT 6.0000 2.0000 IN 3.0000 IN 3.0000 OUT 6.0000 IN 3.0000 IN 3.0000 IN 3.0000 OUT 4.0000 OUT 4.0000 OUT	
2.0000 3.0000 IN 6.0000 3.0000 IN 8.0000 3.0000 OUT 5.0000 0.0000 OUT 2.0000 7.0000 OUT 8.0000 7.0000 OUT 6.0000 2.0000 IN 3.0000 4.0000 OUT 2.0000 7.0000 OUT 0.0000 0.0000 IN 2.0000 0.0000 OUT	OUT
6.0000 3.0000 IN 8.0000 3.0000 OUT 5.0000 0.0000 OUT 2.0000 7.0000 OUT 8.0000 7.0000 OUT 6.0000 2.0000 IN 3.0000 4.0000 OUT 2.0000 7.0000 OUT 0.0000 0.0000 IN 2.0000 0.0000 OUT	OUT
8.0000 3.0000 OUT 5.0000 0.0000 OUT 2.0000 7.0000 OUT 3.0000 7.0000 OUT 6.0000 2.0000 IN 3.0000 4.0000 OUT 2.0000 7.0000 OUT 2.0000 7.0000 OUT 0.0000 IN 0.0000 OUT	IN
5.0000 0.0000 OUT 2.0000 7.0000 OUT 8.0000 7.0000 OUT 6.0000 2.0000 IN 3.0000 4.0000 OUT 2.0000 7.0000 OUT 0.0000 0.0000 IN 2.0000 0.0000 OUT	IN
2.0000 7.0000 OUT 8.0000 7.0000 OUT 6.0000 2.0000 IN 3.0000 4.0000 OUT 2.0000 7.0000 OUT 0.0000 0.0000 IN 2.0000 0.0000 OUT	OUT
3.0000 7.0000 OUT 5.0000 2.0000 IN 3.0000 4.0000 OUT 2.0000 7.0000 OUT 0.0000 IN 2.0000 0.0000 OUT	OUT
5.0000 2.0000 IN 3.0000 4.0000 OUT 2.0000 7.0000 OUT 3.0000 0.0000 IN 2.0000 0.0000 OUT	OUT
3.0000 4.0000 OUT 2.0000 7.0000 OUT 3.0000 0.0000 IN 2.0000 0.0000 OUT	OUT
2.0000 7.0000 OUT 0.0000 0.0000 IN 2.0000 O.0000 OUT	IN
0.0000 IN O.0000 OUT	OUT
2.0000 0.0000 OUT	OUT
	CORNER
TUO 0.000 0.000 TUO	OUT .
	OUT
0.000 out	OUT
O.0000 U.0000 OUT	OUT
5.0000 OUT	OUT
3.0000 OUT	OUT
4.0000 OUT	OUT
7.0000 0.0000 IN	CORNER
5.0000 4.0000 IN	IN
3.0000 O.0000 OUT	OUT
5.0000 7.0000 OUT	OUT
2.0000 O.0000 OUT	OUT
0.0000 5.0000 IN	CORNER
7.0000 5.0000 IN	CORNER

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-7	0.0000	0.0000
	10.0000	0.0000
	6.0000	8.0000
	2.0000	4.0000

AND LEASTER PROPERTY BUILDING STREETS SEEDING PROPERTY STREETS STREETS STREETS STREETS STREETS STREETS

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	IN	IN
6.0000	3.0000	IN	IN
8.0000	3.0000	IN	IN
5.0000	0.0000	IN	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	TUO
0.0000	0.0000	IN	CORNER
2.0000	0.0000	IN	ON THE LINE
4.0000	0.0000	IN	ON THE LINE
6.0000	0.0000	IN	ON THE LINE
10.0000	0.0000	IN	CORNER
6.0000	8.0000	IN	CORNER
3.0000	3.0000	IN	IN
4.0000	6.0000	IN	ON THE LINE
7.0000	0.0000	IN	ON THE LINE
6.0000	4.0000	IN	IN
13.0000	0.0000	OUT	OUT
6.0000	7.0000	IN	IN
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

```
PROGRAM HANDEDNESS (INPUT. DUTPUT. PTS. TESTPTS. MESS. RESPONSES);
LABEL 69,70;
TYPE
  SETTINGS = RECORD
                  ZERO : INTEGER;
                  POS : INTEGER;
                  NEG : INTEGER;
                  NA : INTEGER;
              END;
  TMIDS
          = ೧೯೦೦೧೦
                  X, Y : REAL;
             END;
           = (NEG, POS, ZERO, NOTAPP);
  FLAG
  PNTARRAY = ARRAYCI, 41 OF POINT;
  HEARRAY = ARRAY[1..4] OF FLAG;
         = (CONVEX, CONCAVE, TRIANG, TRIRAY, BOWTIE, INVALID, LINE);
VAR
  I.J.K : INTEGER; CASECONDITION : INTEGER;
  WRONGSIGN, GC, PC : INTEGER;
  INDEX : INTEGER; POINT: POINT: : INTEGER;
 IMDEX
  DETERMINANTVALUE : REAL!
             : BOOLEAN;
  MOREWORK
 RESP, ANSW
SETCHARG
                  : CHAR;
: SETTINGS;
  SETCHARGOLD
                 : SETTINGS;
                  : POINT;
  APDINT
                  : PNTARRAY;
  HFLAG
                  : HFARRAY;
  FIGURE, TESTFIG : FIG:
  PTS, TESTPTS, MESS : TEXT;
  RESPONSES : TEXT;
PROCEDURE DUMP (HF : HEARRAY; PNT : PNTARRAY; SETCHARS : SETTINGS; PT : POINT;
VAR
   I : INTEGER;
BEGIN
    WRITELN('IN DUMP');
    WRITELN( '-----
    WRITELN(' POINT # X-COORD Y-COORD HFLAG();
    WRITELN( '-----
    FOR I := 1 TO 4 DO
        BEGIN
            IN
WRITE(' ', I: 2, ' ', P[I], X, 6, 3, '
WRITELN(' ', HFLAGEI]);
                                                                 * P[I] Y 6:3:
        END;
    WRITELN('INPUT X-COORD ==> ',PT.X.6 3,' INPUT Y-COORD ==> ',PT Y 5.3).
    WRITELN( '-----
   WRITELN('ZERO SETTING ==> ', SETCHARS ZERO.2),
WRITELN('NEGATIVE SETTING ==> ', SETCHARS NEG: 2),
WRITELN('POSITIVE SETTING ==> ', SETCHARS POS.2),
    WRITELN('MOT APP SETTING ==> ', SETCHARS, NA. 2).
END,
PROCEDURE INITIALIZE(VAR PNT - PNTARRAY),
 I : INTEGER;
BEGIN
                                    C-44
```

```
FUR I := 1 TO 4 DO
        BEGIN
            PNTII]. X := 0.0;
            PNT[I]. Y := 0.0;
        END;
END:
PROCEDURE INIF(VAR HF : HFARRAY; VAR SETCHARS : SETTINGS);
 I : INTEGER;
BEGIN
   FOR I := 1 \text{ TO } 4 \text{ DO}
        HF[I] := NOTAPP;
    SETCHARS, ZERO : = 0;
    SETCHARS POS
                  := 0;
    SETCHARS, NEG := 0;
    SETCHARS, NA
                 : = O;
END;
FUNCTION SPECIFYFIG(HF : HFARRAY; SETCHARS : SETTINGS; VAR J : INTEGER) : FIG:
  I : INTEGER;
BEGIN
    IF ((SETCHARS, NEG = 4) OR (SETCHARS, POS = 4)) THEN
       BEGIN
         SPECIFYFIG := CONVEX
       END
    ELSE
       IF ((SETCHARS. ZERO = 0) AND
          ((SETCHARS, POS > 2) OR (SETCHARS, NEG > 2))) THEN
          BEGIN
               IF (SETCHARS, NEG = 3) THEN
                  BEGIN
                      FOR I := 1 TO 4 DO
                          IF HF[[] = POS THEN
                             J := I;
                  END
              ELSE
              IF (SETCHARS, POS = 3) THEN
                  BEGIN
                      FOR I := 1 TO 4 DO
                          IF HF(I] = NEG THEN
                             J := I_i
                 END
              ELSE
                 WRITELN('DUMMY');
              SFECIFYFIG : = CONCAVE;
          END
       ELSE
          IF (SETCHARS ZERO = 1) THEN
             BEGIN
                 FOR I := 1 TO 4 DO
                      IF HF[I] = ZERO THEN
                         J := I,
                  IF ((SETCHARS NEG = 2) OR (SETCHARS PGS = 2)) THEN
                     SPECIFYFIG := TRIRAY
                 ELSE
                     IF ((SETCHARS NEG = 3) OR (SETCHARS PCS = 3)) THEN
                        SPECIFYFIG = TRIANG;
             END
          ELSE
                                      C-45
```

```
IF ((SETCHARS. NEG = 2) OR (SETCHARS. POS = 2)) THEN
                 SPECIFYFIG : = BOWTIE
              ELSE
                 IF (SETCHARS, ZERO = 4) THEN
                    SPECIFYFIG := LINE
                 ELSE
                    SPECIFYFIG := INVALID;
END:
FUNCTION DETERMINANT(P1, P2, P3 : POINT) : REAL;
  TMP1, TMP2, TMP3 , TMP4 : REAL;
BEGIN
    TMP1 := P1. X * (P2. Y - P3. Y);
    TMP2 := P2. X * (P1. Y - P3. Y);
    TMP3 := P3. X * (P1, Y - P2, Y);
    TMP4 := TMP1 - TMP2 + TMP3;
    DETERMINANT := TMP4;
END;
PROCEDURE LOADPOINT(VAR TEST : POINT);
BEGIN
    WRITELN( 'ENTERING LOADPOINT' );
    READLN( TESTPTS, TEST, X );
    WRITELN(MESS, 'ENTER X-COORD TO BE TESTED ===> ', TEST X:6:3);
    READLN( TESTPTS, TEST, Y );
    WRITELN(MESS, 'ENTER Y-COORD TO BE TESTED ===> ', TEST, Y: 6:3),
    WRITELN( 'LEAVING LOADPOINT' );
END;
PROCEDURE LOADFIGURE(VAR PNTS : PNTARRAY );
VAR
  I : INTEGER;
BEGIN
    FUR I := 1 TO 4 DO
      BEGIN
        READLN( PTS, PNTS[I] X );
        WRITELN( MESS, 'ENTER X-COORD OF POINT #1, 1:2, 1 ===> 1, PNTS[1], X:6 3:
        READLN( PTS, PNTS[I], Y );
        WRITELN( MESS, 'ENTER Y-COORD OF POINT #', I:2, ' ===> ', PNTS[1] Y-6
      END;
END;
PROCEDURE LOADHFLAGARRAY( I : INTEGER; DVAL: REAL; VAR HF : HFARRAY ),
BEGIN
    IF DVAL C 0.0 THEN
      HFEII := NEG
    FTZE
       IF DVAL = 0.0 THEN
          HFCI1 := ZERO
       ELSE
          IF DVAL > 0.0 THEN
            HF[[] = POS
          ELSE
            HF[[] := NOTAPP;
END:
PROCEDURE CALCULATESETTINGS: J - INTEGER, HF . HEARRAY; VAR SC
                                                                   SETTINGS),
BEGIN
    CASE HECUI OF
                          = SC POS + 1, C-46
       POS
           SC POS
```

```
: SC. NEG
                           := SC. NEG + 1;
       NEG
              : SC. ZERO
                           : = SC. ZERO + 1;
       ZERO
       NOTAPP : SC. NA
                           := SC. NA + 1;
    END;
END;
FUNCTION POINTINCONVEX(SC : SETTINGS) : INTEGER;
 F1: F2: F3 : BOOLEAN:
BEGIN
    Ft := FALSE;
    FR := FALSE;
    FR := FALSE;
    IF ((SC.PUS = 4) OR (SC.NEG = 4)) THEN
       F1 := TRUE;
    IF ((SC.PUS = 3) OR (SC.NEG = 3)) THEN
       F2 := TRUE;
    IF ((SC, POS = 2) OR (SC, NEG = 2)) THEN
       F3 := (RUE,
    CASE SC. ZERO OF
                   : IF F1 THEN
         0
                         POINTINCONVEX := 1
                      ELSE
                         POINTINCONVEX := 4;
                    : IF FR THEN
         1
                         POINTINCONVEX := 2
                         POINTINCONVEX := 4;
                    : IF F3 THEN
         2
                         POINTINCONVEX := 3
                      ELSE
                         PUINTINCONVEX := 4;
         OTHERWISE
                   POINTINCONVEX := 4;
    END;
END;
FUNCTION POINTINOTHERIVAR I : INTEGER; SC : SETTINGS) : BOOLEAN;
  TMP : BOOLEAN;
BEGIN
    TMP : - FALSE;
    IF ((SC. PDS > 0) AND (SC. NEG > 0)) THEN
       I := 4
    CI.SE
       IF SC. ZERO = 2 THEN
          I: = 3
       FLSE
          TMP := (RUE)
    PHINTINGTHER := TMP;
END;
PROCEDURE COMPARE(A, B - SETTINGS; VAR J : INTEGER);
BEGIN
    II (((A, 7HRO - 0) AND ((A, POS = 3) OR (A, NEG = 3)))
       OR ((A, ZERO = 1) AND (B, ZERO = 1)))
       INDEX
             = 4
    CILSE
       IF A. ZERO : 2 THEN
          INDEX
                    3
       FLSE
                                       C-47
```

AND ANTINES, SCHOOL STANDS

CANADA CANADA

MARCON DESCRIPTION PROSESSO PROGRAMMENT

```
IF ((A, ZERO + B, ZERO = 1) AND
              ((A.POS = 2) OR (A.NEG = 2))) THEN
              INDEX := 2
           ELSE
              INDEX := 1i
EMD:
FUNCTION POINTINTRIANGS(SC : SETTINGS) : INTEGER;
    IF ((SC, ZERO = 1) AND ((SC, POS = 2) OR (SC, NEG = 2))) THEN
       POINTINTRIANGS := 2
    FLSE
       IF (SC. ZERO = 2) THEN
          POINTINTRIANGS := 3
       ELSE
           IF (((SC.POS = 3) OR (SC.NEG = 3)) AND (SC.ZERO = 0)) THEN
              POINTINTRIANGS := 1
           ELSE
              POINTINTRIANGS := 4;
END:
PROCTOURE OUTPUTMESSAGE(INDEX : INTEGER; P : POINT);
BEGIN
    CASE INDEX OF
       1 : BEGIN
              WRITELN('THE POINT C', P. X: 6: 3, ', ', P. Y: 6: 3, '1 IS IN THE FIGURE.
              WRITE(MESS, 'THE POINT C', P. X: 6: 3, ', ', P. Y: 6: 3);
              WRITELN(MESS, '] IS IN THE FIGURE. ');
           END;
       2 : BEGIN
              WRITE('THE POINT C', P. X: 6:3, ', ', P. Y: 6:3, '] IS ON');
              WRITELN( ' THE BOUNDARY OF THE FIGURE. ');
              WRITE(MESS, 'THE POINT E', P. X: 6:3, ', ', P. Y: 6:3, '1 IS ON'),
              WRITELN(MESS, THE BOUNDARY OF THE FIGURE !);
           END:
       3 : BEGIN
              WRITE('THE POINT E', P. X: 6: 3, ', ', P. Y: 6: 3, '1 IS ON');
              WRITELN( ' THE VERTEX OF THE FIGURE. ');
              WRITE (MESS, 'THE POINT [ ', P. X: 4: 3, ', ', P. Y: 4: 3, '] IS ON ().
              WRITELN(MEDS, ' THE VERTEX OF THE FIGURE, ');
           END:
       4 : BEGIN
              WRITE('THE POIN') [', P. X: 6: 3, ', ', P. Y: 6: 3, '] IS OUT ();
              WRITELN('OF THIS FIGURE, ');
              WRITE(MESS, 'THE POINT I'MP X: 6:3, ', 'MP, Y: 6:3, 'I IS OUT ').
              WRITELN(MESS, 'OF THIS FIGURE ');
           END;
      OTHERWISE WRITELN(MESS, 'ERROR');
    END:
END:
PROCEDURE CALCDETERMINANTIVAR HE : HEARRAY: VAR SC : SETTINGS, I
                            P1, P2, P3 : POINT; VAR DVAL : REAL ),
    DVAL = DETERMINANT(P1, P2, P3);
    LOADHFLAGARDAY (I, DVAL, HE);
    CALCULATESETTINGS(I, HF, SC),
END,
BEGIN (* MAIN *)
    RESP := 'Y',
                                       C-48
```

```
AMSW := 'Y's
@0 : = 0;
REWRITE (MESS);
RESET(PTS);
RESET(RESPONSES);
     REPEAT
     90 : 90 + 13
     RESET (TESTPIS);
     PC : GOS
     INTIT(ALIZE(P);
     LOADFIGURE(P);
     REPEAT
        PO := PC + 1;
        WRITELN( '----
        WRITELN(MESS);
        WRITELN(MESS, 'CHECKING QUADRILATERAL # ', QC:2 );
        WRITELNETCHECKING QUADRILATERAL # 1/ QC:2 );
        WRITELN( 'CHECKING
                                    POINT # ', PC:2 );
        WHI:ELN( '----
        INIT(HFLAG, SETCHARS);
        LOADPOINT( APOINT );
        ( * OUMP (HFLAG, P, SETCHARS, APOINT); *)
        FOR I := 1 (0 4 00
          BEGIN
               J := [ + ti
               IF J = 5 THEN
                 J : = 1;
               K: \exists J + ti
               IF K = 5 (HEN
                 K : = 1;
               CALCDETERMINANT (HFLAG, SETCHARS, I, PEI), PEU), PEK),
                                DETERMINANTVALUE);
          END:
        (*DUMP(HFLAG, P, SETCHARS, APOINT); *)
        WRONGSIGN : = 55;
        THSTFIG : : SPECIFYF(G(HFLAG, SETCHARS, WRONGSIGN),
        WRONGSIGN : = WRONGSIGN + 1;
        POINT: = WRONGSIGN:
        IF WRONGSIGN D= 3 THEN
          PUINT2 := WRONGSIGN - 2
        FISE
          PUINT2 := WRONGSIGN + 2;
        CASE TESTFIG OF
          CONVEX BEGIN
                       WRITELN( 'CONVEX CASE' ),
                       FOR I := 1 TO 4 DO
                            BEGIN
                              J := I + 1;
                              IF J = 5 THEN
                                J := 1
                              CALCDETERMINANT (HFLAG, SETCHARS, I, P[I], P[J],
                                               APOINT, DETERMINANTVALUE,,
                            END;
                        GUIPUTMESSAGE (POINTINCONVEX (SETCHARS), APOINT),
                     END;
          CIJNCAVE
                     BEGIN
                       WRITELN('CONCAVE CASE'),
                       IF WRUNGSIGN = 5 THEN
                          WRUNGSIGN . = 1.
                       DUMP (HFLAG, P, SETCHARS, APOINT).
                                  C-49
```

```
INIT (HFLAG, SETCHARS);
            FOR I := 1 TO 3 DO
                BEGIN
                     WRONGSIGN := WRONGSIGN + 1;
                     IF WRONGSIGN = 5 THEN
                        WRONGSIGN := 1;
                     K := (WRONGSIGN MOD 4) + 1;
                     IF I = 3 THEN
                        K := (K MOD 4) + 1;
                     (*DUMP(HFLAG, P. SETCHARS, APDINT), *)
                     CALCDETERMINANT (HFLAG, SETCHARS, I,
                                      PEWRONGSIGNI, PEKI, APDINT,
                                      DETERMINANTVALUE > ;
                END:
            DUMP (HFLAG, P. SETCHARS, APDINT);
            MORFWORK := POINTINOTHER(INDEX, SETCHARS);
            WRITE( 'BEFORE MOREWORK, MOREWORK ==> ', MOREWORK),
            WRITELN( ' INDEX ==> ', INDEX:2 );
            IF NOT MOREWORK THEN
               OUTPUTMESSAGE (INDEX, APOINT)
            ELSE
               BEGIN
                   WRONGSIGN := POINTI:
                   IF WRONGSIGN = 5 THEN
                      WRONGSIGN := 1;
                   SETCHARSOLD := SETCHARS;
                   DUMP(HFLAG, P, SETCHARS, APDINT);
                   INIT(HFLAG, SETCHARS);
                   K := WRONGSIGN;
                   FOR I := 1 TO 3 DO
                        BEGIN
                            IF I = 1 THEN
                               WRONGSIGN := WRONGSIGN - 1,
                            IF WRONGSIGN = 0 THEM
                               WRONGSIGN : = 4;
                            K := (WRONGSIGN MOD 4) + 1.
                            IF I = 3 THEN
                               K := (K MOD 4) + 1;
                            (*DUMP(HFLAG, P, SETCHARS, APDINT), 4)
                            CALCDETERMINANT (HFLAG, SETCHARS, I,
                                     PEWRONGSIGNI, PEKI, APDINT,
                                     DETERMINANTVALUE);
                            WRONGSIGN := WRONGSIGN + 1,
                            IF WRONGSIGN = 5 THEN
                               WRONGSIGN := 1;
                       END:
                   DUMP (HFLAG, P. SETCHARS, APOINT);
                   MOREWORK := POINTINOTHER (INDEX, SETCHARS),
                   COMPARE(SETCHARS, SETCHARSOLD, INDEX);
                   OUTPUTMESSAGE (INDEX, APOINT),
               END:
         END,
TRIRAY.
TRIANG
         BEGIN
             WRITELN('TRI CASE'),
              INIT (HFLAG, SETCHARS),
              FOR I := 1 \text{ TO } 3 \text{ DO}
                  BEGIN
                      WRONGSIGN := WRONGSIGN + 1,
                      IF WRONGSIGN = 5 THEN
                             C-50
```

```
WRONGSIGN := 1;
                                      K := (WRONGSIGN MOD 4) + 1;
                                      IF I = 3 THEN
                                          K := (K MOD 4) + 1;
                                      (*DUMP(HFLAG, P, SETCHARS, APDINT); *)
                                      CALCDETERMINANT (HFLAG, SETCHARS, I,
                                                       PEWRONGSIGNI, FEKI, APDINT,
                                                       DETERMINANTVALUE);
                                  END;
                              DUMP (HFLAG, P, SETCHARS, APOINT);
                              OUTPUTMESSAGE(POINTINTRIANGS(SETCHARS), APOINT);
                         END;
               INVALID.
               BOWTIE,
               LINE
                         BEGIN
                              WRITELN('INVALID CASE');
                              GGTO 69;
                         END;
            END:
            READLN(RESPONSES, ANSW);
            WRITELM ('ANOTHER POINT?? Y/N', ANSW);
             GOTO 70;
             ANSW = 'N':
            WRITELN('THIS FIGURE "', TESTFIG.'" IS AN ILLEGAL FIGURE. ').
            WRITELN('PLEASE INPUT ANOTHER FIGURE OR TERMINATE ');
70:
         UNTIL ((ANSW = 'N') OR (ANSW = 'n'));
         CLOSE (TESTPTS);
         READIN(RESPONSES, RESP);
         WRITELN('ANOTHER QUAD?? Y/N', RESP);
    UNTIL ((RESP = 'N') OR (RESP = 'n'));
    WRITELN('THAT"S ALL FOLKS!!');
    CLOSE(PTS);
    CLOSE(RESPONSES);
    CLOSE (MESS);
END.
```

CHARLE CONTROL CONTROL CONTROL CONTROL

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
		*
C-1	0.0000	0.0000
	2.0000	0.0000
	4.0000	0.0000
	6.0000	0.0000

CHECKING THE INPUT (X, Y) POINTS LINE IS ILLEGAL FIGURE, NO POINT TESTED

		J=====================================	
INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
		# T T T T T T T T T T T T T T T T T T T	
4.0000	4.0000		OUT
4.0000	1.0000		OUT
2.0000	3.0000		OUT
6.0000	3.0000		OUT
8.0000	3.0000		OUT
5.0000	0.0000		ON THE LINE
2.0000	7.0000		OUT
8.0000	7.0000		OUT
6.0000	2.0000		OUT
-3.0000	4.0000		OUT
-2.0000	7.0000		OUT
0.0000	0.0000		CORNER
2.0000	0.0000		CORNER
4.0000	0.0000		CORNER
6.0000	0.0000		CORNER
10.0000	0.0000		OUT
6.0000	8.0000		OUT
3.0000	3.0000		OUT
4.0000	6.0000		OUT
7.0000	0.0000		OUT
6.0000	4.0000		OUT
13.0000	0.0000		OUT
6.0000	7.0000		OUT
12.0000	0.0000		OUT
0.0000	5.0000		TUO
7.0000	5.0000		OUT

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-2	0.0000	0.0000
	10.0000	0.0000
	6.0000	8.0000
	3.0000	3.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	OUT	OUT
6.0000	3.0000	IN	IN
8.0000	3.0000	IN	IN
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	ON THE LINE	ON THE LINE
10.0000	0.0000	CORNER	CORNER
6.0000	8.0000	CORNER	CORNER
3.0000	3.0000	CORNER	CORNER
4.0000	6.0000	OUT	OUT
7.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	4.0000	IN	IN.
13.0000	0.0000	TUO	OUT
6.0000	7.0000	IN	IN
12.0000	0.0000	TUO	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
	***	*********
C-3	0.0000	0.0000
	4.0000	6.0000
	7.0000	0.0000
	10.0000	0.0000

COST CONTROL WATER CONTROL CONTROL PARTICION DESCRIPTION SALVANCE (SALVANCE) ACCURATE INVESTIGATION (CONTROL CONTROL C

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	ON THE LINE	ON THE LINE
6.0000	3.0000	OUT	OUT
8.0000	3.0000	OUT	OUT
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	TUO
8.0000	7.0000	OUT	OUT
6.0000	2.0000	ON THE LINE	ON THE LINE
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	ON THE LINE	ON THE LINE
10.0000	0.0000	OUT*	CORNER
6.0000	8.0000	OUT	OUT
3.0000	3.0000	IN	IN
4.0000	6.0000	CORNER	CORNER
7.0000	0.0000	CORNER	CORNER
6.0000	4.0000	OUT	OUT
13.0000	0.0000	OUT	OUT
6.0000	7.0000	OUT	OUT
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	OUT	OUT

13 13

^{*}THIS CORNER IS DEGENERATED TO ZERO ANGLE. THIS ANSWER DEPENDS ON DEFINITION.

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-4	0.0000	0.0000 4.0000
	13.0000 6.0000	0.0000 0.0000

		**	
INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
	******	******	
4.0000	4.0000	TUO	OUT
4.0000	1.0000	IN	IN
2.0000	3.0000	OUT	OUT
6.0000	3.0000	IN	IN
8.0000	3.0000	TUO	OUT
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	CN THE LINE*	CORNER
10.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	8.0000	OUT	OUT
3.0000	3.0000	OUT	OUT
4.0000	6.0000	OUT	OUT
7.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	4.0000	CORNER	CORNER
13.0000	0.0000	CORNER	CORNER
6.0000	7.0000	OUT	OUT
12.0000	0.0000	ON THE LINE	ON THE LINE
0.0000	5.0000	OUT	OUT
7.0000	5.0000	OUT	OUT

^{*}THIS CORNER IS DEGENERATE AND MAY BE CONSIDERED A LINE. THIS ANSWER DEPENDS ON DEFINITION.

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-5	0.0000	0.0000
	6.0000	7.0000
	12.0000	0.0000
	6.0000	3.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	OUT	OUT
2.0000	3.0000	OUT	OUT •
6.0000	3.0000	CORNER	CORNER
8.0000	3.0000	IN	IN
5.0000	0.0000	OUT	OUT
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	OUT	OU'I'
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OU'I'
0.0000	0.0000	CORNER	CORNER
2.0000	U.0000	OUT	TUÓ
4.0000	0.0000	TUO	OUT
6.0000	0.0000	OUT	OUT'
10.0000	0.0000	TUO	OUT
6.0000	8.0000	OUT	OU l
3.0000	3.0000	IN	IN
4.0000	6.0000	OUT	OUT
7.0000	0.0000	OUT	OUT
6.0000	4.0000	IN	IN
13.0000	0.0000	OUT	TUO
6.0000	7.0000	CORNER	CORNER
12.0000	0.0000	CORNER	CORNER
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

QUADRILATERAL	X-COORDINATE	Y-COORDINATE
C-6	0.0000	0.0000
	0.000	5.0000
	7.0000	0.0000
	7.0000	5.0000

CHECKING THE INPUT (X, Y) POINTS
BOWTIE IS AN ILLEGAL FIGURE. NO POINTS TESTED

15

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000		OUT
4.0000	1.0000		OUT'
2.0000	3.0000		IN
6.0000	3.0000		И1
8.0000	3.0000		OUT
5.0000	0.0000		OUJ.
2.0000	7.0000		OUT
8.0000	7.0000		OUT
6.0000	2.0000		IN
-3.0000	4.0000		OUT
-2.0000	7.0000		OUT
0.0000	0.0000		CORNER
2.0000	0.0000		OUT
4.0000	0.0000		OUT
6.0000	0.0000		OUT
10.0000	0.0000		OU.L
6.0000	8.0000		OUT
3.0000	3.0000		OUT
4.0000	6.0000		OUT
7.0000	0.0000		CORNER
6.0000	4.0000		IN
13.0000	0.0000		OUT
6.0000	7.0000		OUT
12.0000	0.0000		OU'T
0.0000	5.0000	•	CORNER
7.0000	5.0000		CORNER

	74000000000	
QUADRILATERAL	X-COORDINATE	Y-COORDINATE

C-7	0.0000	0.0000
	10.0000	0.0000
	6.0000	8.0000
	2.0000	4.0000

INPUT X	INPUT Y	GENERATED RESULT	ACTUAL RESULT
4.0000	4.0000	IN	IN
4.0000	1.0000	IN	IN
2.0000	3.0000	IN	IN
6.0000	3.0000	IN	IN
8.0000	3.0000	IN	IN
5.0000	0.0000	ON THE LINE	ON THE LINE
2.0000	7.0000	OUT	OUT
8.0000	7.0000	OUT	OUT
6.0000	2.0000	IN	IN
-3.0000	4.0000	OUT	OUT
-2.0000	7.0000	OUT	OUT
0.0000	0.0000	CORNER	CORNER
2.0000	0.0000	ON THE LINE	ON THE LINE
4.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	0.0000	ON THE LINE	ON THE LINE
10.0000	0.0000	CORNER	CORNER
6.0000	8.0000	CORNER	CORNER
3.0000	3.0000	IN	IN
4.0000	6.0000	ON THE LINE	ON THE LINE
7.0000	0.0000	ON THE LINE	ON THE LINE
6.0000	4.0000	IN	IN
13.0000	0.0000	OUT	OUT
6.0000	7.0000	IN	IN
12.0000	0.0000	OUT	OUT
0.0000	5.0000	OUT	OUT
7.0000	5.0000	IN	IN

APPENDIX D

SOME MATHEMATICAL PROOFS

<u>Proposition</u>: The point P lies within the triangle ABC if, and only if, the extension of the line segments AP, BP, and CP intersect BC, CA, and AB, respectively.

<u>Proof:</u> First note that for any two points X and Y, XY\X, and XY\Y are connected sets (Moore, Theorem 98). Suppose P lies within ABC, then so do AP, BP, and CP (by Theorem 33, Moore applied to AP\A, etc). Since AP divides the angle CAB, its extension intersects BC, and similarly for BP and CP.

Suppose one of the line extensions does not intersect the appropriate side. Without loss of generality, suppose the line passing through A and P does not intersect BC. Since it does not pass through C, PAC are not colinear, and similarly PAB are not colinear. Thus it intersects ABC at the endpoint A only. Thus the connected set AP\A does not intersect ABC, and hence falls entirely outside ABC (again by Moore, Theorem 33). Therefore P is not enclosed by ABC.

Rotation of coordinates:

$$x' = (x + y \tan \theta)\cos\theta$$

=
$$x \cos \theta + y \sin \theta$$

$$y^{i} = y/\cos\theta - (x + y \tan \theta)\sin\theta$$

=
$$-x \sin\theta + y(1/\cos\theta - \sin^2\theta/\cos\theta)$$

=
$$-x \sin \theta + y \cos \theta$$

$$x' = (-x \cos \theta + y \sin \theta)$$

$$y' = (-x \sin \theta + y \cos \theta)$$

ANOTHER PROOF

Given; three ordered points $P_1(x_1,y_1)$, $P_2(x_2,y_2)$ and $P_3(x_3,y_3)$.

Prove:

23.2

h = 0 if P_3 is on the extended line P_1 P_2 . h >0 if P_3 is on the left side of the directed line segment. h <0 if P_4 is on the right of the directed line segment.

Proof:

Translate origin to P_1 (see Figure D-1 (b))

$$X_1 = (x_1 - x_1)$$
 where $(X_1, Y_1) = (0,0)$.

$$Y_{i} = (y_{i} - y_{1}).$$

Rotate the axis so that the Y_2 lies on the axis. (see Figure D-1 (c))

$$\sin\theta = -Y_2/\operatorname{sqrt}(X_2^2 + Y_2^2)$$

$$\cos \theta = X_2/sqrt(X_2^2+Y_2^2).$$

$$Y_3' = -X_3 \sin\theta + Y_3 \cos\theta$$

Turn in transition along P_1, P_2, P_3 , is left if Y_3 is >0, along a line,

there is no turn if $Y'_3 = 0$, and turn is right if $Y'_3 < 0$. If this function is called sign then:

$$Y'_{3} = -X_{3} \sin\theta + Y_{3} \cos\theta$$

$$= -X_{3}X_{2}/\operatorname{sqrt}(X_{2}^{2}+Y_{2}^{2}) + Y_{3}X_{2}/\operatorname{sqrt}(X_{2}^{2}+Y_{2}^{2})$$


$$= [-X_{3}Y_{2} + X_{2}Y_{3}]/\operatorname{sqrt}(X_{2}^{2}+Y_{2}^{2})$$

$$= [-(x_{3}-x_{1})(y_{2}-y_{1}) + (x_{2}-x_{1})(y_{3}-y_{1})]/\operatorname{sqrt}(X_{2}^{2}+Y_{2}^{2})$$

$$= [x_{3}y_{1}+x_{1}y_{2}+x_{2}y_{3}+x_{1}y_{1}-x_{3}y_{2}-x_{1}y_{1}-x_{2}y_{1}-x_{1}y_{3}]/\operatorname{sqrt}(X_{2}^{2}+Y_{2}^{2}).$$

sign (det
$$\begin{bmatrix} x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \\ x_3 & y_3 & 1 \end{bmatrix}$$
) = sign h q.e.d.


since the square root is always positive.




Procedural recorded monopoles incompany

S

(a) ROTATION OF COORDINATES IN GENERAL



(b) TRANSLATION OF COORDINATES



(c) RELATION BETWEEN X, Y AND X', Y' COORDINATES

Figure D-1. Proof of Handedness Theorem